

**MASTER
NEGATIVE
NO. 95-82329-11**

COPYRIGHT STATEMENT

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted materials including foreign works under certain conditions. In addition, the United States extends protection to foreign works by means of various international conventions, bilateral agreements, and proclamations.

Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

The Columbia University Libraries reserve the right to refuse to accept a copying order if, in its judgement, fulfillment of the order would involve violation of the copyright law.

Author:

U.S. Bureau of
Agricultural Economics

Title:

Grade, staple length and
tenderability of cotton in...

Place:

Washington, D.C.

Date:

1938

95-82329-11
MASTER NEGATIVE #

COLUMBIA UNIVERSITY LIBRARIES
PRESERVATION DIVISION

BIBLIOGRAPHIC MICROFORM TARGET

ORIGINAL MATERIAL AS FILMED - EXISTING BIBLIOGRAPHIC RECORD

Business
D360.1
Un3454

U. S. Bureau of agricultural economics.
Grade, staple length, and tenderability of
cotton in the United States, 1928-29 to 1937-
38. Washington, 1938.
91 p. of maps, tables.

1. Cotton.

RESTRICTIONS ON USE:

TECHNICAL MICROFORM DATA

FILM SIZE: 35mm

REDUCTION RATIO: 16x

IMAGE PLACEMENT: IA IIA IB IIB

DATE FILMED: 1-23-95

INITIALS: DS

TRACKING #: MSH 03099

FILMED BY PRESERVATION RESOURCES, BETHLEHEM, PA.

U.S. Agriculture Econ. Bureau
Grade, staple length, and tenderability
of cotton in the U.S., 1928-29 to 1937-38.

D360.1 - Un3454

Columbia University
in the City of New York

THE LIBRARIES



Graduate
SCHOOL OF BUSINESS
Library

Bus

UNITED STATES DEPARTMENT OF AGRICULTURE
Bureau of Agricultural Economics

GRADE, STAPLE LENGTH, AND TENDERABILITY
OF COTTON IN THE UNITED STATES
1928-29 TO 1937-38

Washington, D. C.
October 1938

Business

D360.1

Vn3454

Statement of Cooperation

In assembling the information on which this report is based, the following agencies cooperated during each of the years for which figures are shown:

Arizona Agricultural Experiment Station
California State Department of Agriculture
Georgia Agricultural Experiment Station of the University System
North Carolina Agricultural Experiment Station
Oklahoma Agricultural Experiment Station
South Carolina Agricultural Experiment Station
Tennessee Agricultural Experiment Station

In addition, the following agencies cooperated during some part of the period:

Alabama Agricultural Experiment Station
Arkansas Agricultural Experiment Station
Florida Agricultural Experiment Station
Louisiana Agricultural Experiment Station
Mississippi Agricultural Experiment Station
Missouri Agricultural Experiment Station
New Mexico Agricultural Experiment Station
Texas Agricultural Experiment Station

Credit is due cotton growers, ginnermen, warehousemen, dealers, manufacturers, and owners of cotton whose cooperation has made this report possible.

GRADE, STAPLE LENGTH, AND TENDERABILITY OF COTTON IN THE UNITED STATES, 1928-29 TO 1937-38 1/

CONTENTS

AUG 12 1953

	<u>Page</u>
Introduction	1
Table 1.- Official color groups and grades for American upland cotton effective Aug. 20, 1936	2
Table 2.- Official color groups and grades for American upland cotton in effect prior to Aug. 20, 1936	2
Table 3.- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1937	3
Table 4.- Grade and staple length of American-Egyptian cotton ginned in the United States, crops of 1928-37	14
Table 5.- Grade and staple length of Sea-Island cotton ginned in the United States, crop of 1937	15
Table 6.- Grade of American upland cotton ginned in the United States, by States, crops of 1928-37	16
Table 7.- Staple length of American upland cotton ginned in the United States, by States, crops of 1928-37	34
Table 8.- Average staple length of American upland cotton ginned in the United States, by States and districts thereof, crop of 1937	37
Table 9.- Average staple length of American upland cotton ginned in the United States, by States, crops of 1928-37	38
Table 10.- Grade of American upland cotton ginned in the United States during specified periods, by States, crop of 1937	39
Table 11.- Grade of American-Egyptian cotton ginned in the United States during specified periods, crop of 1937	49
Table 12.- Grade of Sea-Island cotton ginned in the United States during specified periods, crop of 1937	49
Table 13.- Staple length of American upland cotton ginned in the United States during specified periods, by States, crop of 1937 ...	50
Table 14.- Staple length of American-Egyptian cotton ginned in the United States during specified periods, crop of 1937	59
Table 15.- Staple length of Sea-Island cotton ginned in the United States during specified periods, crop of 1937	59
Table 16.- Staple length of American upland cotton ginned in designated districts of Alabama, crop of 1937	60
Table 17.- Staple length of American upland cotton ginned in designated districts of Arkansas, crop of 1937	62
Table 18.- Staple length of American upland cotton ginned in designated districts of Georgia, crop of 1937	64
Table 19.- Staple length of American upland cotton ginned in designated districts of Louisiana, crop of 1937	66

1/ Prepared under the supervision of W. B. Lanham.

GRADE, STAPLE LENGTH, AND TENDERABILITY OF COTTON IN THE
UNITED STATES, 1928-29 TO 1937-38 - Continued

	Page
Table 20.- Staple length of American upland cotton ginned in designated districts of Mississippi, crop of 1937	68
Table 21.- Staple length of American upland cotton ginned in designated districts of North Carolina, crop of 1937	70
Table 22.- Staple length of American upland cotton ginned in designated districts of Oklahoma, crop of 1937	72
Table 23.- Staple length of American upland cotton ginned in designated districts of South Carolina, crop of 1937	74
Table 24.- Staple length of American upland cotton ginned in designated districts of Tennessee, crop of 1937	76
Table 25.- Staple length of American upland cotton ginned in designated districts of Texas, crop of 1937	78
Table 26.- Tenderability of American upland cotton ginned in the United States, by States, crops of 1928-37	80
Table 27.- Grade and staple length of American upland cotton on hand in the United States, Aug. 1, 1937	83
Table 28.- Grade and staple length of American-Egyptian cotton on hand in the United States, Aug. 1, 1928-37	84
Table 29.- Staple length of American upland cotton on hand in the United States, by places of storage, Aug. 1, 1928-37	85
Table 30.- Tenderability of American upland cotton on hand in the United States, Aug. 1, 1928-37	86
Table 31.- Average staple length of American upland cotton on hand in the United States, by places of storage, Aug. 1, 1928-37 ...	87
Table 32.- Staple length of Egyptian cotton on hand in the United States, Aug. 1, 1928-37	87
Table 33.- Staple length of foreign cotton other than Egyptian on hand in the United States, Aug. 1, 1928-37	88
Table 34.- Staple length of American upland cotton ginned in designated districts of Texas, crops of 1928-37	89
Table 35.- Average staple length of American upland cotton ginned in designated districts of Texas, crops of 1928-37	91

Introduction

This report covers the 1937-38 season, the tenth consecutive season for which the Department has assembled and disseminated information on grade, staple length, and tenderability of the annual cotton crop and of the cotton carry-over as of August 1 in this country. In addition, it carries forward certain information contained in earlier publications, Statistical Bulletins 40, 47, 52, 56, and 60, and in a multilithed report issued in July, 1937, entitled "Grade, Staple Length, and Tenderability of Cotton in the United States, 1928-29 to 1936-37", and contains, in addition, as indicated, information on the grade, staple length, and tenderability of the cotton crop and carry-over of 1937. Figures are included for the first time on the grade and staple length of ginnings of Sea-Island cotton in the United States, the 1937 crop being the first one for which grade and staple statistics were separately prepared for Sea-Island cotton. Figures on total ginnings of upland cotton from the crops of earlier years included the Sea-Island cotton ginned from the crops of the years specified.

Grade, staple-length, and tenderability figures on the crop are based on the classification of samples of ginnings; corresponding figures on the carry-over of cotton as of August 1 are based on the classification of samples representing cotton in public warehouses and compresses, consuming establishments, and other places of storage.

The 1936 carry-over was classed according to grade standards in effect August 1 of that year, but the 1936 crop was classed according to revised grade standards that became effective August 20, 1936, as were both the crop and carry-over of 1937. Table 1 lists the revised grade standards that became effective August 20, 1936, and table 2 lists the grade standards that were in effect prior to August 20, 1936.

Throughout this report the names of the grades have been abbreviated as follows: 1-M.F., Middling Fair; 2-S.G.M., Strict Good Middling; 3-G.M., Good Middling; 4-S.M., Strict Middling; 5-M., Middling; 6-S.L.M., Strict Low Middling; 7-L.M., Low Middling; 8-S.G.O., Strict Good Ordinary; 9-G.O., Good Ordinary.

Table 1.- Official color groups and grades for American upland cotton that became effective August 20, 1936 1/

Extra White	White	Spotted	Tinged	Yellow Stained	Gray
	M.F.*				
	S.G.M.				
G.M.*	G.M.	G.M.*	G.M.	G.M.*	G.M.*
S.M.*	S.M.	S.M.*	S.M.	S.M.*	S.M.*
M.*	M.	M.*	M.	M.*	M.*
S.L.M.*	S.L.M.	S.L.M.*	S.L.M.		
L.M.*	L.M.	L.M.*	L.M.		
S.G.O.*	S.G.O.				
G.O.*	G.O.				

1/ The grades shown above the double lines are tenderable on futures contracts made in accordance with sec. 5 of the United States Cotton Futures Act. Those below the lines are not tenderable on such contracts. These standards, superseding those that were in effect prior to August 20, 1936, are described in Service and Regulatory Announcements 150, Bureau of Agricultural Economics, and in Statistical Bulletin No. 56, page 3.

*Descriptive only--not represented by physical forms.

Table 2.- Official color groups and grades for American upland cotton that were in effect prior to August 20, 1936 1/

Extra White	White	Spotted	Yellow Tinged	Light Yellow Stained	Yellow Stained	Blue Gray	Blue Stained
	M.F.						
	S.G.M.		S.G.M.*				
G.M.	G.M.	G.M.*	G.M.	G.M.*	G.M.	G.M.*	G.M.
S.M.	S.M.	S.M.*	S.M.	S.M.*	S.M.	S.M.*	S.M.
M.	M.	M.*	M.	M.*	M.	M.*	M.
S.L.M.	S.L.M.	S.L.M.*	S.L.M.				
L.M.	L.M.	L.M.*	L.M.				
	S.G.O.						
	G.O.						

1/ The grades shown above the double lines were tenderable on futures contracts made in accordance with sec. 5 of the United States Cotton Futures Act. Those below the lines were not tenderable on such contracts. These standards, superseded by revised grade standards effective Aug. 20, 1936, are described in Service and Regulatory Announcements 92.

*Descriptive only--not represented by physical forms.

Table 3.- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1937

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

Grade	All staple lengths		Shorter than 7/8 inch 1/		7/8 and 29/32 inch		15/16 and 31/32 inch		1 and 1-1/32 inches		1-1/16 and 1-3/32 inches		1-1/8 and 1-5/32 inches		1-3/16 and 1-7/32 inches		1-1/4 and longer	
	1,000 bales	Per cent	1,000 bales	Per cent	1,000 bales	Per cent	1,000 bales	Per cent	1,000 bales	Per cent	1,000 bales	Per cent	1,000 bales	Per cent	1,000 bales	Per cent	1,000 bales	Per cent
All grades ..	18,237.1	100.0	1,834.6	10.0	5,235.0	28.7	5,038.7	27.6	3,542.4	19.4	1,638.5	9.0	842.2	4.6	90.2	0.5	15.5	0.1
White	13,881.0	76.1	1,151.4	8.3	3,649.6	20.0	3,856.6	21.1	2,895.6	15.8	1,423.5	7.8	805.3	4.4	84.7	0.5	14.3	0.1
1-M.F.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
2-S.G.M.	7	3/100	1	0.1	2	0.2	1	0.1	1	0.1	1	0.1	1	0.1	---	---	---	---
3-G.M.	555.6	3.0	13.9	0.8	41.6	0.2	45.3	0.2	47.2	0.3	192.9	1.1	211.1	1.2	3.2	0.02	4	0.02
4-S.M.	2,855.3	15.6	200.7	1.1	656.8	3.6	697.4	3.8	547.9	3.0	342.9	1.9	188.9	1.0	18.0	0.1	2.7	0.01
5-M.	4,872.9	26.7	425.5	2.3	1,387.9	7.6	1,381.5	7.5	1,072.6	5.9	357.7	1.9	199.6	1.1	39.9	0.2	8.2	0.04
6-S.L.M.	3,704.4	20.3	310.0	1.7	984.3	5.4	1,094.0	6.0	800.8	4.4	338.8	1.9	153.8	0.8	20.0	0.1	2.7	0.01
7-L.M.	1,456.2	8.0	134.7	0.7	424.9	2.3	430.2	2.4	278.3	1.5	141.6	0.8	43.1	0.2	3.2	0.02	---	---
8-S.G.O. 1/ ..	486.4	2.7	52.3	0.3	128.2	0.7	152.4	0.8	106.9	0.6	38.8	0.2	7.5	0.04	---	---	---	---
9-G.O. 1/ ..	149.5	0.8	14.2	0.1	25.7	0.1	55.6	0.3	41.8	0.2	10.7	0.1	1.3	0.01	---	---	---	---
Spotted	4,091.9	22.4	644.2	3.5	1,501.8	8.2	1,089.5	6.0	618.0	3.4	196.0	1.1	35.7	0.2	5.5	0.03	1.2	0.006
3-G.M.	81.3	0.4	9.5	0.1	28.9	0.2	22.4	0.1	16.2	0.1	4.0	0.02	---	---	---	---	---	---
4-S.M.	1,584.8	8.7	235.8	1.3	597.4	3.3	389.8	2.1	255.7	1.4	90.3	0.5	12.9	0.1	2.5	0.01	4	0.02
5-M.	1,663.7	9.1	217.9	1.2	607.6	3.4	480.8	2.6	280.0	1.5	75.6	0.4	18.8	0.1	2.3	0.01	7	0.04
6-S.L.M. 1/ ..	510.2	2.8	101.6	0.6	184.9	1.0	154.1	0.8	64.7	0.4	21.4	0.1	2.9	0.02	---	---	---	---
7-L.M. 1/ ..	251.9	1.4	79.4	0.4	85.0	0.5	62.4	0.3	21.4	0.1	4.7	0.03	0.8	0.004	---	---	---	---
Tinged	152.7	0.8	26.4	0.1	55.6	0.3	51.3	0.3	16.5	0.1	2.7	0.01	---	---	---	---	---	---
3-G.M.	1.7	3/100	---	---	0.6	0.003	0.5	0.003	---	---	---	---	---	---	---	---	---	---
4-S.M.	17.4	0.1	2.0	0.01	6.1	0.03	5.7	0.03	3.1	0.02	---	---	---	---	---	---	---	---
5-M. 1/ ..	35.8	0.2	5.1	0.03	14.5	0.08	12.0	0.07	3.8	0.02	---	---	---	---	---	---	---	---
6-S.L.M. 1/ ..	33.5	0.2	8.3	0.05	11.5	0.06	10.6	0.06	2.6	0.01	---	---	---	---	---	---	---	---
7-L.M. 1/ ..	64.3	0.3	11.0	0.06	22.9	0.13	22.5	0.13	6.4	0.04	---	---	---	---	---	---	---	---
Yellow Stained ...	3.7	3/100	1.0	0.005	1.3	0.007	1.2	0.007	0.2	0.001	---	---	---	---	---	---	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-S.M. 1/ ..	0.6	3/100	0.1	0.001	0.1	0.001	0.3	0.002	0.1	0.001	---	---	---	---	---	---	---	---
5-M. 1/ ..	5.1	3/100	0.9	0.005	1.2	0.007	0.9	0.005	0.1	0.001	---	---	---	---	---	---	---	---
Gray	15.4	0.1	---	---	0.4	0.002	0.9	0.005	0.7	0.004	13.0	0.07	0.4	0.002	---	---	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-S.M.	7.0	3/100	---	---	0.3	0.002	---	---	---	---	6.3	0.04	---	---	---	---	---	---
5-M. 1/ ..	8.4	3/100	---	---	0.1	0.001	0.9	0.005	0.7	0.004	6.7	0.04	---	---	---	---	---	---
No grade 1/ 4/ ...	92.4	0.5	11.6	0.06	26.3	0.15	39.2	0.22	11.4	0.06	3.3	0.02	0.6	0.003	---	---	---	---

See footnotes at end of table.

Table 3.- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1937 - Continued

ALABAMA										
Grade	All staple lengths		Shorter than 7/8 inch	7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1-1/32 inch	1-1/16 and 1-5/32 inch	1-1/8 and 1-5/16 inch	1-3/16 and 1-7/32 inch	1-1/4 and longer
	1,000 bales	Per cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades ...	2/ 1,566.6	100.0	269.9	736.5	401.2	151.9	5.6	1.1	0.3	0.1
White	1,196.7	76.4	205.0	549.0	311.4	128.0	4.9	1.0	.3	.1
1-M.F.1	3/	---	---	---	---	---	---	---	---
2-S.G.M.	8.6	.5	1.0	2.4	3.0	2.1	.1	---	---	---
3-G.M.	222.4	14.2	28.4	83.6	68.1	40.5	1.6	.8	---	---
4-S.M.	544.0	34.7	80.3	251.2	146.1	63.2	2.3	.6	.2	.1
5-M.	323.7	20.7	45.7	161.2	78.0	19.7	.8	.2	.1	---
6-S.L.M. 1/ ..	88.3	5.6	26.3	44.5	2.2	---	---	---	---	---
7-L.M. 1/ ..	9.1	.6	3.0	4.9	---	---	---	---	---	---
8-S.O.O. 1/ ..	.5	3/	.3	.2	---	---	---	---	---	---
9-G.O. 1/ ..	---	---	---	---	---	---	---	---	---	---
Spotted	347.8	22.2	64.0	176.9	83.7	22.4	.7	.1	---	---
3-G.M.	7.0	.4	.6	3.2	2.2	1.0	---	---	---	---
4-S.M.	125.6	8.0	21.2	59.8	33.0	11.2	.4	---	---	---
5-M.	178.1	11.4	33.5	93.3	41.6	9.5	.3	.1	---	---
6-S.L.M. 1/ ..	33.9	2.2	7.8	18.7	6.5	---	---	---	---	---
7-L.M. 1/ ..	3.2	.2	.9	1.9	.4	---	---	---	---	---
Tinged	20.5	1.3	2.7	11.0	5.5	1.3	---	---	---	---
3-G.M.3	3/	---	---	---	---	---	---	---	---
4-S.M.	3.7	.2	.6	1.8	1.0	.3	---	---	---	---
5-M.	10.8	.7	1.6	5.9	2.7	.6	---	---	---	---
6-S.L.M. 1/ ..	3.4	.2	.5	2.1	.7	.1	---	---	---	---
7-L.M. 1/ ..	2.3	.1	---	1.0	.3	---	---	---	---	---
Yellow Stained9	.1	---	.3	.5	.1	---	---	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---
4-S.M. 1/ ..	.1	3/	---	---	---	---	---	---	---	---
5-M. 1/ ..	.8	.1	---	.3	.4	.1	---	---	---	---
No grade 1/ 3/ ..	.7	3/	.2	.3	.1	.1	---	---	---	---

ARIZONA										
Grade	All staple lengths		Shorter than 7/8 inch	7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1-1/32 inch	1-1/16 and 1-5/32 inch	1-1/8 and 1-5/16 inch	1-3/16 and 1-7/32 inch	1-1/4 and longer
	1,000 bales	Per cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades ...	2/ 299.2	100.0	---	---	1.1	76.2	211.3	10.5	0.1	---
White	197.4	66.0	---	---	.6	33.5	153.3	10.1	.1	---
1-M.F.	---	---	---	---	---	---	---	---	---	---
2-S.G.M.	---	---	---	---	---	---	---	---	---	---
3-G.M.	50.9	17.0	---	---	---	2.9	41.2	6.7	---	---
4-S.M.	83.6	28.0	---	---	---	11.0	69.8	2.8	.1	---
5-M.	38.2	12.8	---	---	---	9.0	28.7	.5	---	---
6-S.L.M. 1/ ..	20.0	6.7	---	---	.2	6.9	12.8	.1	---	---
7-L.M. 1/ ..	5.6	1.8	---	---	.1	2.7	.8	---	---	---
8-S.O.O. 1/ ..	.7	.2	---	---	.1	.6	---	---	---	---
9-G.O. 1/ ..	.4	.1	---	---	.2	.2	---	---	---	---
Spotted	101.7	34.0	---	---	.5	42.8	58.0	.4	---	---
3-G.M.	1.5	.5	---	---	---	1.0	.5	---	---	---
4-S.M.	45.7	15.3	---	---	---	15.5	29.8	.4	---	---
5-M.	42.9	14.3	---	---	---	19.5	23.4	---	---	---
6-S.L.M. 1/ ..	10.5	3.5	---	---	.2	6.1	4.2	---	---	---
7-L.M. 1/ ..	1.1	.4	---	---	.3	.7	.1	---	---	---
Tinged1	3/	---	---	---	.1	---	---	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---
4-S.M.	---	---	---	---	---	---	---	---	---	---
5-M. 1/ ..	---	---	---	---	---	---	---	---	---	---
6-S.L.M. 1/ ..	.1	3/	---	---	---	.1	---	---	---	---
7-L.M. 1/ ..	---	---	---	---	---	---	---	---	---	---

See footnotes at end of table.

Table 3.- Grade and staple length of American Upland cotton ginned in the United States, by States, crop of 1937 - Continued

ARKANSAS										
Grade	All staple lengths		Shorter than 7/8 inch	7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1-1/32 inch	1-1/16 and 1-5/32 inch	1-1/8 and 1-5/16 inch	1-3/16 and 1-7/32 inch	1-1/4 and longer
	1,000 bales	Per cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades ...	2/ 1,808.9	100.0	105.8	330.2	651.2	499.5	161.4	54.5	7.1	1.5
White	1,511.0	83.5	70.6	246.6	555.9	442.8	140.4	49.3	6.4	1.0
1-M.F.	---	---	---	---	---	---	---	---	---	---
2-S.G.M.	9.5	.5	.6	.4	1.8	4.0	1.8	.8	---	.1
3-G.M.	186.5	10.3	9.8	22.2	57.5	72.1	19.8	4.7	.3	.1
4-S.M.	354.8	19.6	26.5	103.9	186.7	155.6	44.0	14.7	1.3	.1
5-M.	437.9	25.3	23.0	72.6	166.4	131.3	40.3	19.9	3.8	.6
6-S.L.M. 1/ ..	195.9	10.8	7.5	25.0	83.7	50.1	21.7	6.9	.9	.1
7-L.M. 1/ ..	97.9	5.4	2.8	16.8	44.1	22.3	9.9	1.9	.1	---
8-S.O.O. 1/ ..	28.5	1.6	.4	5.7	11.7	7.4	2.9	.4	---	---
9-G.O. 1/ ..	---	---	---	---	---	---	---	---	---	---
Spotted	260.7	14.4	30.7	74.2	81.9	49.7	18.6	4.6	.7	.3
3-G.M.	1.3	.1	.2	.3	.3	.3	.2	.2	---	---
4-S.M.	69.1	3.8	10.3	22.0	18.9	12.9	4.4	.5	.1	---
5-M.	106.2	5.8	13.6	32.8	30.5	19.4	6.3	2.3	.3	.1
6-S.L.M. 1/ ..	31.4	1.8	3.8	10.1	15.6	11.9	4.4	1.3	.2	.1
7-L.M. 1/ ..	33.7	1.9	2.8	9.0	12.6	5.2	3.5	.8	.1	---
Tinged	21.1	1.2	1.8	5.7	7.7	4.4	1.4	.1	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---
4-S.M.	1.0	.1	.3	.5	.2	.2	---	---	---	---
5-M.	2.8	.1	.5	1.2	.8	.3	---	---	---	---
6-S.L.M. 1/ ..	3.1	.5	.5	1.7	1.8	.2	---	---	---	---
7-L.M. 1/ ..	12.2	.7	.3	2.3	4.9	3.0	1.2	.1	---	---
Yellow Stained3	3/	---	.2	.1	---	---	---	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---
4-S.M.	---	---	---	---	---	---	---	---	---	---
5-M.	---	---	---	---	---	---	---	---	---	---
6-S.L.M. 1/ ..	.3	3/	---	.2	.1	---	---	---	---	---
7-L.M. 1/ ..	.6	3/	---	.2	.4	---	---	---	---	---
Gray	---	---	---	---	---	---	---	---	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---
4-S.M.	---	---	---	---	---	---	---	---	---	---
5-M.2	3/	---	.1	.1	---	---	---	---	---
6-M. 1/ ..	.6	3/	---	.1	.5	---	---	---	---	---
No grade 1/ 3/ ..	15.0	.8	.7	3.3	7.2	2.5	1.0	.3	---	---

See footnotes at end of table.

Table 3.- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1937 - Continued

Grade	CALIFORNIA									
	All staple lengths		Shorter than 7/8 inch	7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1-1/32 inches	1-1/16 and 1-3/32 inches	1-1/8 and 1-5/32 inches	1-3/16 and 1-7/32 inches	1-1/4 inches and longer
	1,000 bales	Per cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades ..	2/ 725.0	100.0	---	0.1	---	25.1	310.7	384.2	2.9	---
White	663.1	91.7	---	.1	---	9.2	274.0	376.9	2.9	---
1-M.F.	---	---	---	---	---	---	---	---	---	---
2-S.O.M.	---	---	---	---	---	---	---	---	---	---
3-G.M.	272.4	37.7	---	---	---	.1	88.0	183.3	1.0	---
4-S.M.	189.5	26.2	---	.1	---	.7	68.7	118.6	1.4	---
5-M.	104.6	14.5	---	---	---	.5	46.5	57.1	.5	---
6-S.L.M.	71.8	9.9	---	---	---	1.9	55.0	16.9	---	---
7-L.M.	16.9	2.3	---	---	---	2.3	15.7	.9	---	---
8-S.G.O. 1/ ..	6.1	.8	---	---	---	3.0	3.0	.1	---	---
9-G.O. 1/ ..	1.6	.3	---	---	---	.7	1.1	---	---	---
Spotted	46.0	6.4	---	---	---	15.3	23.8	6.9	---	---
3-G.M.3	3/	---	---	---	.2	.1	---	---	---
4-S.M.	13.6	1.9	---	---	---	3.1	9.6	.9	---	---
5-M.	21.6	3.0	---	---	---	6.5	9.1	6.0	---	---
6-S.L.M. 1/ ..	9.4	1.3	---	---	---	4.7	4.7	---	---	---
7-L.M. 1/ ..	1.1	.2	---	---	---	.8	.3	---	---	---
Gray	13.5	1.9	---	---	---	.3	12.8	.4	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---
4-S.M.	6.7	.9	---	---	---	6.3	.4	---	---	---
5-M. 1/ ..	6.8	1.0	---	---	---	.3	6.5	---	---	---
No grade 1/ 4/4	3/	---	---	---	.3	.1	---	---	---

Grade	FLORIDA									
	All staple lengths		Shorter than 7/8 inch	7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1-1/32 inches	1-1/16 and 1-3/32 inches	1-1/8 and 1-5/32 inches	1-3/16 and 1-7/32 inches	1-1/4 inches and longer
	1,000 bales	Per cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades ..	32.3	100.0	2.3	23.4	5.4	1.2	---	---	---	---
White	18.1	56.0	1.4	12.7	5.2	.8	---	---	---	---
1-M.F.	---	---	---	---	---	---	---	---	---	---
2-S.O.M.	---	---	---	---	---	---	---	---	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---
4-S.M.	1.1	3.4	---	.8	.2	.1	---	---	---	---
5-M.	6.4	19.8	.3	4.6	1.2	.3	---	---	---	---
6-S.L.M.	5.7	17.6	.5	3.9	1.0	.3	---	---	---	---
7-L.M.	3.9	12.1	.4	2.7	.1	---	---	---	---	---
8-S.G.O. 1/ ..	1.0	3.1	.2	.7	.1	---	---	---	---	---
9-G.O. 1/ ..	---	---	---	---	---	---	---	---	---	---
Spotted	14.1	43.7	.9	10.6	2.2	.4	---	---	---	---
3-G.M.1	.3	---	.1	---	---	---	---	---	---
4-S.M.	4.4	13.7	.2	3.2	.8	.2	---	---	---	---
5-M.	7.1	22.0	.6	5.3	1.0	.2	---	---	---	---
6-S.L.M. 1/ ..	2.2	6.8	.1	1.7	.4	---	---	---	---	---
7-L.M. 1/ ..	.3	.9	---	.3	---	---	---	---	---	---
No grade 1/ 4/1	.3	---	.1	---	---	---	---	---	---

See footnotes at end of table.

Table 3 -- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1937 -- Continued

Grade	GEORGIA									
	All staple lengths		Shorter than 7/8 inch	7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1-1/32 inches	1-1/16 and 1-3/32 inches	1-1/8 and 1-5/32 inches	1-3/16 and 1-7/32 inches	1-1/4 inches and longer
	1,000 bales	Per cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades	2/ 1,473.1	100.0	68.8	539.1	498.9	351.1	14.0	0.8	0.4	---
White	1,113.7	75.6	53.5	408.4	361.5	277.7	11.6	.6	.4	---
1-M.F.1	3/	---	---	---	---	---	---	---	---
2-S.G.M.	10.1	.7	.1	1.0	3.4	5.2	.4	---	---	---
3-G.M.	169.5	11.5	2.2	38.4	56.8	69.5	2.4	.1	.1	---
4-S.M.	435.3	29.5	10.3	143.1	145.8	129.6	5.9	.4	.2	---
5-M.	320.5	21.8	17.4	135.7	106.7	57.9	2.6	.1	.1	---
6-S.L.M.	150.7	10.2	16.7	75.5	43.7	14.5	.3	---	---	---
7-L.M.	24.3	1.6	5.5	13.2	4.7	.9	---	---	---	---
8-S.G.O. 1/ ..	3.2	.2	1.3	1.4	.4	.1	---	---	---	---
9-G.O. 1/ ..	---	---	---	---	---	---	---	---	---	---
Spotted	346.6	23.5	14.6	126.4	132.1	70.9	2.4	---	---	---
3-G.M.	11.7	.8	.2	2.3	4.0	4.9	.3	---	---	---
4-S.M.	128.9	8.7	3.9	38.8	49.3	35.8	1.0	.1	.1	---
5-M.	170.5	11.6	7.7	67.8	66.4	27.8	1.0	---	---	---
6-S.L.M. 1/ ..	31.3	2.1	2.3	15.3	11.1	2.5	.1	---	---	---
7-L.M. 1/ ..	4.2	.3	.5	2.2	1.3	.2	---	---	---	---
Tinged	11.4	.8	.3	3.8	5.0	2.3	---	---	---	---
3-G.M.	1.0	.1	---	.4	.3	.3	---	---	---	---
4-S.M.	4.2	.3	.1	1.2	1.7	1.2	---	---	---	---
5-M.	4.5	.3	.1	1.5	2.1	.8	---	---	---	---
6-S.L.M. 1/ ..	.7	3/	.1	.3	.6	---	---	---	---	---
7-L.M. 1/ ..	1.0	.1	.1	.3	.6	---	---	---	---	---
Yellow Stained4	3/	---	.1	.2	.1	---	---	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---
4-S.M.2	3/	---	---	.1	.1	---	---	---	---
5-M.2	3/	---	---	.1	.1	---	---	---	---
No grade 1/ 4/	1.0	.1	.4	.4	.1	.1	---	---	---	---

See footnotes at end of table.

Table 3.- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1937

Grade	All staple lengths		LOUISIANA									
			Shorter than 7/8		7/8	15/16	1	1-1/16	1-1/8	1-3/16	1-1/4	
			inches 2/	inches 3/	inches 31/32	inches 1-1/32	inches 1-5/32	inches 1-9/32	inches 1-7/32	inches 1-7/32	inches 1-1/4	
	1,000 bales	Per-cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades ..	1,000.6	100.0	81.7	125.4	317.2	389.8	117.4	19.4	1.7	---	---	---
White	797.2	79.7	50.2	84.1	240.2	310.2	94.9	16.1	1.4	---	---	---
1-M.F.	---	---	---	---	---	---	---	---	---	---	---	---
2-S.O.M.	---	---	---	---	---	---	---	---	---	---	---	---
3-O.M.	6.9	.7	.5	.5	.9	3.5	1.6	.2	---	---	---	---
4-S.M.	117.9	11.8	10.1	15.1	26.7	46.4	17.0	2.2	.4	---	---	---
5-M.	271.9	25.9	22.8	34.8	68.4	103.8	34.9	6.4	.8	---	---	---
6-S.L.M.	238.8	22.7	13.0	22.4	73.4	95.5	28.7	5.4	.4	---	---	---
7-L.M.	129.7	12.5	3.7	10.1	54.5	49.0	10.6	1.8	---	---	---	---
8-S.O.O. 1/2 ..	27.1	2.6	.2	2.7	15.5	9.0	1.6	.1	---	---	---	---
9-O.O. 1/2 ..	5.0	.5	.2	.5	5.0	1.2	.1	---	---	---	---	---
Spotted	251.7	24.0	31.5	39.0	75.9	79.4	22.5	3.5	.1	---	---	---
3-O.M.	5.7	.4	.6	.6	.8	1.1	.4	---	---	---	---	---
4-S.M.	106.0	10.1	17.5	19.8	26.0	30.7	10.4	1.6	---	---	---	---
5-M.	106.6	10.1	11.5	14.9	35.9	36.2	9.6	1.4	.1	---	---	---
6-S.L.M. 1/2 ..	31.0	3.0	1.6	3.1	12.7	11.5	1.8	.5	---	---	---	---
7-L.M. 1/2 ..	4.4	.4	.5	.6	2.5	.9	.1	---	---	---	---	---
Tinged2	3/	---	---	.2	---	---	---	---	---	---	---
3-O.M.	---	---	---	---	---	---	---	---	---	---	---	---
4-S.M.1	3/	---	---	.1	---	---	---	---	---	---	---
5-M. 1/2 ..	---	---	---	---	---	---	---	---	---	---	---	---
6-S.L.M. 1/2 ..	.1	3/	---	---	.1	---	---	---	---	---	---	---
7-L.M. 1/2 ..	---	---	---	---	---	---	---	---	---	---	---	---
No grade 1/2 3/4 ..	1.4	.1	---	.3	.9	.2	---	---	---	---	---	---

MISSISSIPPI

Grade	All staple lengths		MISSISSIPPI									
			Shorter than 7/8		7/8	15/16	1	1-1/16	1-1/8	1-3/16	1-1/4	
			inches 2/	inches 3/	inches 31/32	inches 1-1/32	inches 1-5/32	inches 1-9/32	inches 1-7/32	inches 1-7/32	inches 1-1/4	
	1,000 bales	Per-cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades ..	2,561.8	100.0	54.5	103.3	279.0	841.9	881.0	324.5	74.5	15.2	---	---
White	2,277.8	88.9	42.2	124.1	492.7	739.0	499.5	307.1	70.0	12.2	---	---
1-M.F.	---	---	---	---	---	---	---	---	---	---	---	---
2-S.O.M.1	3/	---	---	---	---	.1	---	---	---	---	---
3-O.M.	48.1	1.9	1.0	1.4	4.1	14.8	12.2	7.2	2.1	.3	---	---
4-S.M.	355.8	13.9	12.8	20.4	68.6	137.5	60.5	40.0	14.9	2.1	---	---
5-M.	709.9	27.7	15.4	40.6	146.7	219.1	129.7	113.0	36.5	7.7	---	---
6-S.L.M.	651.8	25.4	9.2	34.5	139.5	177.2	107.3	13.0	1.9	.1	---	---
7-L.M.	306.9	12.0	3.5	16.5	65.2	98.8	89.4	32.2	2.2	.1	---	---
8-S.O.O. 1/2 ..	141.0	5.5	.8	6.8	42.0	61.9	25.8	5.5	.2	---	---	---
9-O.O. 1/2 ..	62.4	2.4	.1	3.9	27.8	29.9	6.6	.9	.1	.1	---	---
Spotted	263.5	10.3	12.1	27.5	76.1	96.0	29.3	17.2	4.5	1.0	---	---
3-O.M.	9.8	.4	.7	1.0	2.8	5.8	1.1	.2	---	---	---	---
4-S.M.	139.0	5.4	7.1	13.6	38.7	54.7	14.5	7.9	2.5	.4	---	---
5-M.	27.9	3.4	3.5	9.0	24.5	30.3	10.6	7.8	1.8	.6	---	---
6-S.L.M. 1/2 ..	21.5	.9	.8	2.8	7.7	6.0	2.9	1.1	.2	---	---	---
7-L.M. 1/2 ..	5.5	.2	.5	1.1	2.4	1.2	.4	.2	---	---	---	---
Tinged	5.1	.1	.1	.7	1.6	.8	.2	---	---	---	---	---
3-O.M.	---	---	---	---	---	---	---	---	---	---	---	---
4-S.M.7	3/	---	.4	.5	---	---	---	---	---	---	---
5-M. 1/2 ..	1.0	3/	---	.5	.4	.1	.2	---	---	---	---	---
6-S.L.M. 1/2 ..	.8	3/	---	.2	.6	.2	---	---	---	---	---	---
7-L.M. 1/2 ..	.6	3/	---	.1	.5	.2	---	---	---	---	---	---
Yellow Stained ..	.1	3/	---	---	.1	---	---	---	---	---	---	---
3-O.M.	---	---	---	---	---	---	---	---	---	---	---	---
4-S.M. 1/2 ..	.1	3/	---	---	---	---	---	---	---	---	---	---
5-M. 1/2 ..	---	---	---	---	---	---	---	---	---	---	---	---
Grey8	3/	---	---	.4	.3	.1	---	---	---	---	---
3-O.M.	---	---	---	---	---	---	---	---	---	---	---	---
4-S.M.	---	---	---	---	---	---	---	---	---	---	---	---
5-M. 1/2 ..	.0	3/	---	---	.4	.3	.1	---	---	---	---	---
No grade 1/2 3/4 ..	16.3	.6	.1	1.0	7.1	6.1	1.9	.3	---	---	---	---

See footnotes at end of table.

Table 3.- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1937 - Continued

Grade	All staple lengths		MISSOURI									
			Shorter than 7/8		7/8	15/16	1	1-1/16	1-1/8	1-3/16	1-1/4	
			inches 2/	inches 3/	inches 31/32	inches 1-1/32	inches 1-5/32	inches 1-9/32	inches 1-7/32	inches 1-7/32	inches 1-1/4	
	1,000 bales	Per-cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades ..	390.2	100.0	32.9	56.4	152.2	96.2	9.9	0.4	0.1	0.1	---	---
White	224.2	57.5	17.7	46.2	80.7	70.8	8.3	.5	.1	.1	---	---
1-M.F.	---	---	---	---	---	---	---	---	---	---	---	---
2-S.O.M.	---	---	---	---	---	---	---	---	---	---	---	---
3-O.M.5	.1	.1	---	.1	---	---	---	---	---	---	---
4-S.M.	25.9	6.1	2.6	4.5	7.5	8.3	.9	.1	---	---	---	---
5-M.	94.0	24.1	8.1	20.5	31.8	28.6	4.6	.2	---	---	---	---
6-S.L.M.	80.0	20.5	5.5	14.2	28.3	29.5	2.5	.1	.1	.1	---	---
7-L.M.	8.8	2.3	.7	1.2	4.4	2.5	.2	---	---	---	---	---
8-S.O.O. 1/2 ..	10.7	2.7	.5	3.5	1.2	.1	---	---	---	---	---	---
9-O.O. 1/2 ..	5.5	1.7	.4	2.2	3.5	.6	---	---	---	---	---	---
Spotted	96.0	24.6	8.1	22.1	41.6	22.7	1.4	.1	---	---	---	---
3-O.M.7	.2	.1	.2	.3	.1	---	---	---	---	---	---
4-S.M.	14.2	3.6	1.5	2.5	4.6	5.4	.6	---	---	---	---	---
5-M.	27.5	7.0	1.5	4.9	10.4	9.9	.6	---	---	---	---	---
6-S.L.M. 1/2 ..	21.7	5.6	1.4	5.3	11.5	3.4	.2	.1	---	---	---	---
7-L.M. 1/2 ..	32.1	8.2	3.8	9.4	15.0	3.9	---	---	---	---	---	---
Tinged	32.9	8.7	3.5	12.8	13.1	3.6	.1	---	---	---	---	---
3-O.M.	---	---	---	---	---	---	---	---	---	---	---	---
4-S.M.5	.2	---	.5	.5	.5	---	---	---	---	---	---
5-M. 1/2 ..	1.5	.3	.1	.2	.5	---	---	---	---	---	---	---
6-S.L.M. 1/2 ..	6.4	1.7	.6	2.0	5.0	.6	---	---	---	---	---	---
7-L.M. 1/2 ..	25.5	6.5	2.4	11.2	9.5	2.2	.1	---	---	---	---	---
Yellow Stained ..	.9	.2	.5	.3	.1	---	---	---	---	---	---	---
3-O.M.	---	---	---	---	---	---	---	---	---	---	---	---
4-S.M. 1/2 ..	---	---	---	---	---	---	---	---	---	---	---	---
5-M. 1/2 ..	.9	.2	.5	.3	.1	---	---	---	---	---	---	---
No grade 1/2 3/4 ..	35.2	9.0	3.5	14.0	16.7	1.1	.1	---	---	---	---	---

NEW MEXICO

All grades ..		153.8	100.0	1.4	4.2	2.9	25.7	102.1	14.2	0.5	---
White		112.7	77.2	.3	.9	.1	12.7	87.9	15.6	.2	---
1-M.F.		---	---	---	---	---	---	---	---	---	---
2-S.O.M.		---	---	---	---	---	---	---	---	---	---
3-O.M.		39.9	25.9	.2	.2	---	3.9	30.4	2.2	---	---
4-S.M.		65.8	42.8	.1	.2	---	7.3	48.5	9.5	.2	---
5-M.		11.0	7.2	---	.1	.1	2.0	8.0	.8	---	---
6-S.L.M.		1.5	1.0	---	.1	---	.4	.9	.1	---	---
7-L.M.2	.1	---	---	---	.1	.1	---	---	---
8-S.O.O. 1/2 ..		.2	.1	---	.2	---	---	---	---	---	---
9-O.O. 1/2 ..		.1	.1	---	.1	---	---	---	---	---	---
Spotted		32.5	21.1	.7	3.0	2.1	11.1	14.9	.5	.1	---
3-O.M.		1.9	1.2	.1	.4	---	.2	1.2	---	---	---
4-S.M.		11.9	7.7	---	.5	---	2.5	8.5	.4	---	---
5-M.		7.0	4.6	.1	.5	.1	2.4	3.6	.1	---	---
6-S.L.M. 1/2 ..		4.2	2.7	.1	.4	.5	1.9	1.8	.1	---	---
7-L.M. 1/2 ..		7.2	4.9	.4	1.0	1.7	4.1	.2	---	---	---
Tinged		1.2	1.2	.2	.1	.4	.2	---	---	---	---
3-O.M.		---	---	---	---	---	---	---	---	---	---
4-S.M.1	.1	---	---	---	---	.1	---	---	---
5-M. 1/2 ..		.6	.4	.1	.1	.1	.6	.1	---	---	---
6-S.L.M. 1/2 ..		1.0	.8	.1	.3	.3	.2	.1	---	---	---
7-L.M. 1/2 ..		.1	.1	---	---	---	.1	---	---	---	---
No grade 1/2 1/48	.5	.2	.2	.3	.1	---	---	---	---

Table 3.- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1937 - Continued

Grade	All staple lengths		NORTH CAROLINA									
			Shorter than 7/8	7/8	15/16	1 and 1/16	1 and 1/8	1 and 1/4	1 and 1/2	1 and 3/4	1 and 1/2	1 and 1/4
			inch	inch	inch	inch	inch	inch	inch	inch	inch	inch
All grades ..	1,000 bales		1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
	Per cent	Per cent	Per cent	Per cent	Per cent	Per cent	Per cent	Per cent	Per cent	Per cent	Per cent	Per cent
White ..	780.6	100.0	10.1	125.9	306.2	302.5	29.0	4.4	1.8	0.7		
1-M.F.	551.6	80.9	5.3	87.5	245.6	260.7	26.1	3.8	1.7	.7		
2-S.G.M.												
3-S.M.												
4-S.M.	76.0	9.7	1.1	9.4	37.6	37.6	5.5	.7	.6	.3		
5-M.	255.8	32.5	1.8	31.8	85.6	118.6	12.6	1.9	.9	.4		
6-S.L.M.	229.5	29.4	1.7	32.5	101.6	85.7	6.8	1.1	.1			
7-L.M.	68.0	8.0	.6	12.3	34.1	14.4	.6					
8-S.G.O. 1/2 ..	3.5	.4		.6	2.2	.5						
9-G.O. 1/2 ..												
Spotted ..	143.7	18.4	4.6	36.2	58.4	41.3	2.5	.6	.1			
3-G.M.	8.0	.3	.1	.5	.4	.9	.1					
4-S.M.	31.9	6.6	1.5	11.3	18.7	19.0	1.2	.3				
5-M.	88.0	10.5	2.4	21.6	36.0	20.4	1.2	.3	.1			
6-S.L.M. 1/2 ..	7.2	.9	.2	2.8	3.2	1.0						
7-L.M. 1/2 ..	.6	.1	.4	.1	.1							
Tinged ..	5.1	.7	.2	2.1	1.9	.5	.4					
3-G.M.2	3/		.2								
4-S.M.	2.3	.5	.1	.8	.8	.4						
5-M.	2.6	.5	.1	1.1	1.1	.5						
6-S.L.M. 1/2 ..												
7-L.M. 1/2 ..												
No grade 1/2 1/42	3/		.1	.1							

See footnotes at end of table.

Table 3.- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1937 - Continued

Grade	All staple lengths		SOUTH CAROLINA									
			Shorter than 7/8	7/8	15/16	1 and 1/16	1 and 1/8	1 and 1/4	1 and 1/2	1 and 3/4	1 and 1/2	1 and 1/4
			inch	inch	inch	inch	inch	inch	inch	inch	inch	inch
All grades ..	1,000 bales		1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
	Per cent	Per cent	Per cent	Per cent	Per cent	Per cent	Per cent	Per cent	Per cent	Per cent	Per cent	Per cent
White ..	996.2	100.0	2.9	123.0	455.7	372.0	35.3	6.1	1.1	0.1		
1-M.F.	726.4	72.9	1.6	81.9	320.1	286.5	29.8	5.4	1.0	.1		
2-S.G.M.												
3-S.M.	1.3	.1		.2	.4	.6	.1					
4-S.M.	57.7	5.8	.3	4.8	19.6	29.1	3.1	.6	.2	.1		
5-M.	224.6	22.6	.4	26.1	115.2	125.5	14.0	2.9	.5			
6-S.L.M.	297.0	29.8	.7	34.2	142.5	106.9	10.7	1.7	.3			
7-L.M.	80.3	8.1	.3	14.6	40.1	23.4	1.8	.1				
8-S.G.O. 1/2 ..	5.5	.5		2.0	2.3	1.0	.1					
9-G.O. 1/2 ..												
Spotted ..	265.6	26.7	1.3	40.0	138.4	84.6	5.5	.7	.1			
3-G.M.	3.2	.3		.2	1.2	1.7	.1					
4-S.M.	85.7	8.6	.4	9.6	40.0	33.2	2.2	.3				
5-M.	158.4	15.9	.8	25.3	83.2	45.6	3.0	.4	.1			
6-S.L.M. 1/2 ..	17.8	1.8	.1	4.6	6.8	4.1	.2					
7-L.M. 1/2 ..	.5	.1		.3	.2							
Tinged ..	3.8	.4		1.1	1.9	.8						
3-G.M.1	3/				.1						
4-S.M.	1.3	.1		.3	.6	.4						
5-M.	2.3	.2		.8	1.2	.5						
6-S.L.M. 1/2 ..	.1	3/		.1								
7-L.M. 1/2 ..												
No grade 1/2 1/44	3/			.3	.1						

See footnotes at end of table.

Table 3.- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1937 - Continued

Grade	All staple lengths		TEXAS							
			Shorter than 7/8 inch 1/2	7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1-1/32 inch	1-1/16 and 1-5/32 inch	1-1/8 and 1-7/32 inch	1-3/16 and 1-1/4 inch longer	1-1/4 and longer
	1,000 bales	Per-cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades ..	4,952.4	100.0	944.5	2,459.5	1,234.9	205.9	99.9	19.7	0.1	---
White	3,425.8	70.5	596.4	1,691.4	956.1	179.9	91.1	18.8	.1	---
1-M.F.	---	---	---	---	---	---	---	---	---	---
2-S.O.M.	2.5	3/100	---	---	---	---	---	---	---	---
3-S.O.M.	100.0	2.0	8.9	35.5	26.9	8.7	16.8	7.6	---	---
4-S.M.	985.2	19.9	96.8	488.2	342.7	68.5	45.8	9.8	---	---
5-M.	1,319.9	26.6	218.3	642.2	367.3	22.1	1.3	.1	---	---
6-S.L.M.	787.9	14.7	139.2	305.3	160.6	34.2	7.6	---	---	---
7-L.M. 1/2	270.7	5.5	55.9	154.6	50.6	8.5	1.1	---	---	---
8-S.O.O. 1/2	75.7	1.6	30.3	42.4	5.6	.5	.1	---	---	---
9-O.O. 1/2	14.3	.3	9.0	5.0	.3	---	---	---	---	---
Spotted	1,432.5	28.9	372.1	768.5	236.5	24.0	9.7	.9	---	---
3-O.M.	335.8	7	5.5	19.7	9.9	.6	.1	---	---	---
4-S.M.	635.0	12.7	134.8	369.8	135.8	11.7	4.6	.3	---	---
5-M.	475.9	9.6	105.7	260.6	95.3	9.1	2.8	.4	---	---
6-S.L.M. 1/2	171.8	3.5	65.8	85.1	17.5	2.8	1.0	.2	---	---
7-L.M. 1/2	95.0	1.9	60.3	33.1	2.0	.4	.2	---	---	---
Tinged	12.8	.4	10.3	9.1	.2	---	.1	---	---	---
3-O.M.1	3/100	---	---	---	---	---	---	---	---
4-S.M.6	3/100	---	---	---	---	---	---	---	---
5-M. 1/2	3.5	.1	1.6	1.5	.2	---	---	---	---	---
6-S.L.M. 1/2	7.6	.2	4.9	2.6	.1	---	---	---	---	---
7-L.M. 1/2	7.0	.1	3.2	2.7	---	---	---	---	---	---
Yellow Stained4	3/100	.3	.1	---	---	---	---	---	---
3-O.M.	---	---	---	---	---	---	---	---	---	---
4-S.M. 1/21	3/100	.1	---	---	---	---	---	---	---
5-M. 1/25	3/100	.2	.1	---	---	---	---	---	---
Gray2	3/100	---	.2	---	---	---	---	---	---
3-O.M.	---	---	---	---	---	---	---	---	---	---
4-S.M. 1/21	3/100	.1	---	---	---	---	---	---	---
5-M. 1/21	3/100	.1	---	---	---	---	---	---	---
No grade 1/2 ...	4.7	.1	3.8	1.5	---	---	---	---	---	---

Grade	All staple lengths		VIRGINIA							
			Shorter than 7/8 inch 1/2	7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1-1/32 inch	1-1/16 and 1-5/32 inch	1-1/8 and 1-7/32 inch	1-3/16 and 1-1/4 inch longer	1-1/4 and longer
	1,000 bales	Per-cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades ..	40.2	100.0	0.2	17.2	20.0	2.7	0.1	---	---	---
White	35.2	87.6	.2	14.3	16.1	2.5	.1	---	---	---
1-M.F.	---	---	---	---	---	---	---	---	---	---
2-S.O.M.	---	---	---	---	---	---	---	---	---	---
3-S.O.M.	---	---	---	---	---	---	---	---	---	---
4-S.M.5	1.2	---	.2	.2	.1	---	---	---	---
5-M.	6.1	15.2	---	2.1	3.0	1.0	---	---	---	---
6-S.L.M.	20.6	51.2	.1	8.6	10.8	1.3	.1	---	---	---
7-L.M. 1/2	5.7	14.2	---	3.3	2.5	.1	---	---	---	---
8-S.O.O. 1/25	.8	.1	.1	.1	---	---	---	---	---
9-O.O. 1/2	---	---	---	---	---	---	---	---	---	---
Spotted	5.0	12.2	---	2.9	3.8	.2	---	---	---	---
3-O.M.	---	---	---	---	---	---	---	---	---	---
4-S.M.7	1.6	---	.3	.3	.1	---	---	---	---
5-M.	5.2	12.9	---	2.2	2.9	.1	---	---	---	---
6-S.L.M. 1/2	1.0	2.5	---	.4	.6	---	---	---	---	---
7-L.M. 1/2	---	---	---	---	---	---	---	---	---	---
Tinged1	.2	---	---	.1	---	---	---	---	---
3-O.M.	---	---	---	---	---	---	---	---	---	---
4-S.M.1	.2	---	---	.1	---	---	---	---	---
5-M. 1/2	---	---	---	---	---	---	---	---	---	---
6-S.L.M. 1/2	---	---	---	---	---	---	---	---	---	---
7-L.M. 1/2	---	---	---	---	---	---	---	---	---	---
Yellow Stained ...	---	---	---	---	---	---	---	---	---	---
3-O.M.	---	---	---	---	---	---	---	---	---	---
4-S.M.	---	---	---	---	---	---	---	---	---	---
5-M. 1/2	---	---	---	---	---	---	---	---	---	---
6-S.L.M. 1/2	---	---	---	---	---	---	---	---	---	---
7-L.M. 1/2	---	---	---	---	---	---	---	---	---	---
No grade 1/2 ...	1.3	7.0	---	.3	.6	.2	---	---	---	---

See footnotes at end of table.

Table 3.- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1937 - Continued

Grade	All staple lengths		ALL OTHER STATES 5/							
			Shorter than 7/8 inch 1/2	7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1-1/32 inch	1-1/16 and 1-5/32 inch	1-1/8 and 1-7/32 inch	1-3/16 and 1-1/4 inch longer	1-1/4 and longer
	1,000 bales	Per-cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades ..	19.5	100.0	0.2	1.3	6.7	9.4	0.9	---	---	---
White	15.6	73.6	---	.6	4.0	8.4	.5	---	---	---
1-M.F.	---	---	---	---	---	---	---	---	---	---
2-S.O.M.	---	---	---	---	---	---	---	---	---	---
3-S.O.M.	---	---	---	---	---	---	---	---	---	---
4-S.M.	1.2	6.5	---	.2	.2	.3	.1	---	---	---
5-M.	5.1	27.6	---	.1	1.9	2.9	.1	---	---	---
6-S.L.M.	4.3	23.3	---	.1	.7	.6	.2	---	---	---
7-L.M. 1/2	1.3	7.0	---	.3	.4	.2	---	---	---	---
8-S.O.O. 1/27	3.8	---	.3	.7	---	---	---	---	---
9-O.O. 1/2	1.0	5.4	---	.3	---	---	---	---	---	---
Spotted	2.7	14.6	.1	.1	1.4	.8	.3	---	---	---
3-O.M.	---	---	---	---	---	---	---	---	---	---
4-S.M.1	.5	.1	---	---	---	---	---	---	---
5-M.9	4.9	---	---	.3	.4	.2	---	---	---
6-S.L.M. 1/26	3.3	---	---	.2	.3	.1	---	---	---
7-L.M. 1/2	1.1	5.9	---	.1	.9	.1	---	---	---	---
Tinged8	4.3	.1	.2	.5	---	---	---	---	---
3-O.M.	---	---	---	---	---	---	---	---	---	---
4-S.M.	---	---	---	---	---	---	---	---	---	---
5-M. 1/21	.5	.1	---	---	---	---	---	---	---
6-S.L.M. 1/21	.5	---	---	.1	---	---	---	---	---
7-L.M. 1/26	3.3	---	.2	.4	---	---	---	---	---
Yellow Stained1	.5	---	.1	---	---	---	---	---	---
3-O.M.	---	---	---	---	---	---	---	---	---	---
4-S.M.	---	---	---	---	---	---	---	---	---	---
5-M. 1/21	.5	---	.1	---	---	---	---	---	---
No grade 1/2 ...	1.3	7.0	---	.3	.6	.2	---	---	---	---

1/ Understandable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulation of the Secretary of Agriculture thereunder. Of the 1,834,600 bales of shorter than 7/8-inch cotton, 107,800, or 0.6 percent, were shorter than 13/16 inch.

2/ As reported by the Bureau of the Census.

3/ Includes bales not otherwise classified above.

4/ Includes Illinois, Kansas, and Kentucky.

Table 4 -- Grade and staple length of American-Egyptian cotton ginned in the United States, crops of 1924-37

Crop and grade	All staple lengths		Shorter than 1-1/2 inches		1-1/2 and 1-17/32 inches	1-17/32 and 1-19/32 inches	1-19/32 and 1-23/32 inches	1-23/32 and longer
	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	1,000 bales	1,000 bales	1,000 bales
1924								
All grades.....	25.3	100.0	0.7	2.8	13.4	52.5	1.6	0.1
1 and 1 1/2.....	5.5	21.7	0.2	0.8	2.2	8.7	.4	—
2 and 2 1/2.....	13.6	53.7	0.3	1.2	5.9	23.4	.8	—
3 and 3 1/2.....	8.4	33.2	—	—	4.4	17.4	.4	—
4 and 4 1/2.....	0.7	2.8	—	—	0.3	1.2	—	—
5.....	0.1	0.4	—	—	—	—	—	—
Below 5.....	—	—	—	—	—	—	—	—
1925								
All grades.....	25.4	100.0	—	—	5.3	20.9	6.0	.4
1 and 1 1/2.....	5.5	21.7	—	—	1.6	6.3	1.7	—
2 and 2 1/2.....	16.4	64.6	—	—	2.3	9.1	3.8	—
3 and 3 1/2.....	6.5	25.6	—	—	2.1	8.3	0.5	—
4 and 4 1/2.....	0.4	1.6	—	—	0.3	1.2	—	—
5.....	—	—	—	—	—	—	—	—
Below 5.....	—	—	—	—	—	—	—	—
1926								
All grades.....	23.3	100.0	—	—	2.5	10.7	4.6	—
1 and 1 1/2.....	6.2	26.6	—	—	0.4	1.7	0.7	—
2 and 2 1/2.....	11.4	48.9	—	—	1.7	7.1	2.6	—
3 and 3 1/2.....	5.1	21.9	—	—	1.1	4.7	1.3	—
4 and 4 1/2.....	0.6	2.6	—	—	0.3	1.3	—	—
5.....	—	—	—	—	—	—	—	—
Below 5.....	—	—	—	—	—	—	—	—
1927								
All grades.....	13.7	100.0	—	—	2.4	8.3	2.9	—
1 and 1 1/2.....	1.2	8.7	—	—	0.3	1.6	0.3	—
2 and 2 1/2.....	5.9	43.1	—	—	1.1	8.1	1.5	—
3 and 3 1/2.....	6.5	47.8	—	—	0.7	5.0	1.0	—
4 and 4 1/2.....	1.9	13.9	—	—	0.3	2.2	0.4	—
5.....	0.2	1.5	—	—	—	1.1	—	—
Below 5.....	—	—	—	—	—	—	—	—
1928								
All grades.....	8.3	100.0	1.7	20.5	2.6	3.1	1.1	—
1 and 1 1/2.....	2.0	24.1	—	—	0.3	3.6	0.7	—
2 and 2 1/2.....	3.7	44.6	—	—	1.6	1.9	0.3	—
3 and 3 1/2.....	2.4	28.5	—	—	0.5	0.6	—	—
4 and 4 1/2.....	0.2	2.4	—	—	—	—	—	—
5.....	—	—	—	—	—	—	—	—
Below 5.....	—	—	—	—	—	—	—	—
1929								
All grades.....	9.7	100.0	—	—	1.2	2.4	1.0	—
1 and 1 1/2.....	4.9	50.5	—	—	1.2	2.0	0.7	—
2 and 2 1/2.....	4.3	44.3	—	—	1.7	2.2	0.3	—
3 and 3 1/2.....	0.5	5.2	—	—	—	—	—	—
4 and 4 1/2.....	—	—	—	—	—	—	—	—
5.....	—	—	—	—	—	—	—	—
Below 5.....	—	—	—	—	—	—	—	—
1930								
All grades.....	14.0	100.0	—	—	4.6	3.3	2.1	—
1 and 1 1/2.....	6.1	43.6	—	—	1.3	1.4	1.4	—
2 and 2 1/2.....	5.6	40.0	—	—	1.8	1.3	0.7	—
3 and 3 1/2.....	1.5	10.7	—	—	0.3	0.6	—	—
4 and 4 1/2.....	0.8	5.7	—	—	—	—	—	—
5.....	—	—	—	—	—	—	—	—
Below 5.....	—	—	—	—	—	—	—	—
1931								
All grades.....	17.6	100.0	—	—	4.9	12.9	7.7	—
1 and 1 1/2.....	3.4	19.3	—	—	0.3	2.8	1.1	—
2 and 2 1/2.....	12.0	68.2	—	—	3.5	2.0	0.5	—
3 and 3 1/2.....	1.9	10.8	—	—	0.7	1.1	—	—
4 and 4 1/2.....	0.3	1.7	—	—	—	—	—	—
5.....	—	—	—	—	—	—	—	—
Below 5.....	—	—	—	—	—	—	—	—
1932								
All grades.....	12.6	100.0	—	—	4.6	10.4	2.2	—
1 and 1 1/2.....	3.5	27.8	—	—	1.2	2.7	1.6	—
2 and 2 1/2.....	9.1	72.2	—	—	1.4	6.7	1.3	—
3 and 3 1/2.....	3.1	24.6	—	—	1.2	3.3	0.3	—
4 and 4 1/2.....	0.6	4.8	—	—	0.3	1.2	—	—
5.....	0.3	2.4	—	—	—	—	—	—
Below 5.....	—	—	—	—	—	—	—	—
1933								
All grades.....	13.0	100.0	—	—	2.4	6.3	1.5	—
1 and 1 1/2.....	7.2	55.4	—	—	1.3	4.4	1.3	—
2 and 2 1/2.....	2.9	22.4	—	—	0.5	1.7	0.2	—
3 and 3 1/2.....	0.7	5.4	—	—	0.3	0.8	—	—
4 and 4 1/2.....	1.8	13.8	—	—	0.3	1.2	—	—
5.....	—	—	—	—	—	—	—	—
Below 5.....	—	—	—	—	—	—	—	—

1/ As reported by the Bureau of the Census.

Table 5 -- Grade 1/ and staple length of Sea-Island cotton ginned in the United States, crop of 1937

Grade	All staple lengths		Shorter than 1-1/2 inches		1-1/2 and 1-17/32 inches	1-17/32 and 1-19/32 inches	1-19/32 and 1-23/32 inches	1-23/32 and longer
	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades.....	2/ 4.0	100.0	—	—	0.5	1.0	1.6	0.4
1.....	—	17.5	—	—	—	0.1	0.3	0.2
2.....	—	30.0	—	—	0.1	0.3	0.5	0.1
3.....	—	27.5	—	—	0.1	0.3	0.5	0.1
4.....	—	17.5	—	—	0.1	0.2	0.3	—
5.....	—	5.0	—	—	0.1	0.1	—	—
6.....	—	—	—	—	—	—	—	—
Below 6.....	—	2.5	—	—	—	—	—	—

1/ In classing for grade the standards for Sea-Island cotton in effect from Oct. 25, 1918-Jan. 22, 1925 were used as a guide.

2/ As reported by the Bureau of the Census.

Table 5 -- Grade of American upland cotton ginned in the United States, by State, crops of 1928-37 (Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included.)

[illegible]

See footnotes at end of table.

Table 6 -- Grade of American upland cotton ginned in the United States, by States, crops of 1928-37 -- Continued

[illegible]

See footnotes at end of table.

Table 6 .- Grade of American upland cotton ginned in the United States, by State, crops of 1928-37 -- Continued

[illegible]

See footnotes at end of table.

Table 6.-Grade of American upland cotton ginned in the United States, by States, crops of 1926-27. -- Continued

[illegible]

NO GRANT 0/0.....

Our best wishes at end of table.

Table 3 -- Grade of American upland cotton classed in the United States, by State, crops of 1958-59 -- Continued

[illegible]

See footnotes at end of table.

Table 6 — Grade of American upland cotton ginned in the United States, by States, crops of 1926-37 — Continued

[illegible]

..... 7/5 2004

Table 6 .- Grade of American upland cotton ginned in the United States, by States, crops of 1928-37 — Continued

[illegible]

Table 5 .- Grade of American upland cotton ginned in the United States, by State, crops of 1928-29 -- Continued

[illegible]

Table 5 -- Grade of American upland cotton ginned in the United States, by States, crops of 1926-27 --Continued

[illegible]

See footnotes at end of table.

Table 8 -- Grade of American upland cotton ginned in the United States, by States, crops of 1926-37 -- Continued

[illegible]

7 As reported by the Bureau of the Census.

Notable in settlement of futures cont.
Less than 0.05 percent.
Included with 0.05 percent.

Includes bales not otherwise classified as

Includes Illinois, Indiana, Kentucky, Michigan, Minnesota, Missouri, Nebraska, North Dakota, Ohio, South Dakota, Tennessee, Texas, Virginia, West Virginia, Wisconsin, and Wyoming.

100

Table 7.—Staple length of American upland cotton ginned in the United States, by States, crops of 1928-37

State	Crop year	All staple lengths 1/16		Shorter than 7/8 inch 1/16		7/8 and 23/32 inch 1/16		15/16 and 31/32 inch 1/16		1 and 1-1/32 inch 1/16		1-1/32 and 1-1/16 inch 1/16		1-1/16 and 1-1/8 inch 1/16		1-1/8 and longer 1/16
		L.0000	Exc. L.0000	L.0000	Exc. L.0000	L.0000	Exc. L.0000	L.0000	Exc. L.0000	L.0000	Exc. L.0000	L.0000	Exc. L.0000	L.0000	Exc. L.0000	L.0000
Virginia	1928	44.8	100.0	2.6	6.3	37.1	82.8	4.7	10.5	0.2	0.4	0.1	0.2	—	—	—
	1929	44.0	100.0	3.3	6.9	34.1	81.0	9.7	20.2	—	—	—	—	—	—	—
	1930	42.7	100.0	3.9	9.1	28.6	69.3	8.4	19.7	—	—	—	—	—	—	—
	1931	42.5	100.0	3.5	8.5	29.4	68.4	8.7	19.7	—	—	—	—	—	—	—
	1932	41.3	100.0	1.7	4.8	32.0	82.0	6.7	19.2	—	—	—	—	—	—	—
	1933	34.4	100.0	1.7	4.9	28.2	73.3	6.6	19.2	—	—	—	—	—	—	—
All other 1/	1934	33.0	100.0	1.5	4.5	23.0	69.7	7.4	22.4	—	—	—	—	—	—	—
	1935	27.6	100.0	1.2	3.7	23.9	77.2	17.2	37.7	—	—	—	—	—	—	—
	1936	26.5	100.0	1.0	3.5	23.5	76.5	17.2	37.7	—	—	—	—	—	—	—
	1937	26.2	100.0	1.2	3.5	17.2	82.8	20.0	49.6	—	—	—	—	—	—	—
All other 1/	1928	6.2	100.0	—	—	1.2	1.2	1.6	5.7	—	—	—	—	—	—	—
	1929	6.8	100.0	—	—	1.0	1.0	1.4	5.7	—	—	—	—	—	—	—
	1930	6.8	100.0	—	—	1.0	1.0	1.4	5.7	—	—	—	—	—	—	—
	1931	11.7	100.0	—	—	1.0	25.6	3.7	31.6	—	—	—	—	—	—	—
	1932	13.0	100.0	—	—	1.2	8.6	3.4	18.3	—	—	—	—	—	—	—
	1933	13.8	100.0	—	—	1.7	2.1	5.9	4.1	—	—	—	—	—	—	—
	1934	12.4	100.0	—	—	1.3	17.5	2.6	37.4	—	—	—	—	—	—	—
	1935	12.4	100.0	—	—	1.4	14.5	3.4	27.4	—	—	—	—	—	—	—
	1936	12.4	100.0	—	—	1.3	14.5	3.4	27.4	—	—	—	—	—	—	—
	1937	12.5	100.0	—	—	1.3	14.5	3.4	27.4	—	—	—	—	—	—	—

1/ As reported by the Bureau of the Census.

2/ Unrepresentable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

3/ Less than 0.05 percent.

4/ Includes Illinois, Kansas, and Kentucky.

Table 8.—Average staple length 1/ of American upland cotton ginned in the United States, by States and districts 2/ thereof, crop of 1937

State and district 2/	Sixteenth inches	State and district 2/	Sixteenth inches
United States	15.55	New Mexico	17.29
Alabama	14.79	North Carolina	15.81
District 1	14.85	District 1	15.61
District 2	14.83	District 2	16.27
District 3	14.87	District 3	15.89
District 4	14.73	District 4	15.80
District 5	14.93		
District 6	14.78	Oklahoma	14.65
Arizona	17.27	District 1	14.54
Arkansas	15.77	District 2	14.76
District 1	15.69	District 3	14.96
District 2	14.76	District 4	14.64
District 3	15.09	District 5	14.22
District 4	16.07	South Carolina	15.84
District 5	15.84	District 1	15.79
California	18.00	District 2	15.95
Florida	14.67	District 3	15.89
Georgia	15.30	District 4	15.68
District 1	15.76	Tennessee	15.30
District 2	15.69	District 1	15.47
District 3	14.87	District 2	13.74
District 4	14.93	District 3	14.78
Louisiana	15.88	Texas	14.71
District 1	14.74	District 1-M	14.66
District 2	15.77	District 1-S	14.31
District 3	16.27	District 2	14.56
District 4	15.34	District 3	14.26
Mississippi	16.65	District 4	14.69
District 1	17.37	District 5	14.44
District 2	16.11	District 6	17.64
District 3	15.69	District 7	14.62
Missouri	15.39	District 8	15.23
		District 9	15.08
		District 10	15.32
		Virginia	15.13
		All other 3/	16.01

1/ Average calculated by multiplying the number of bales in each length group by the midpoint of the group expressed in sixteenths of an inch (for example, 15/16 = 15.5), summing, and dividing by the total number of bales. In making the calculations, the midpoints of the groups "shorter than 7/8 inch" and "1-1/4 inches and longer" were considered to be 13.5 and 20.5, respectively. Averages can be converted to inches by dividing by 16.

Regulations provide that fractions of less than a thirty-second of an inch are to be disregarded by Government classifiers in their staple-length designations. (United States Department of Agriculture, Bureau of Agricultural Economics. Service and Regulatory Announcements No. 92, page 9 and Handbook for Licensed Classers, September 1936).

2/ Boundaries of districts are shown in figures

3/ Includes Illinois, Kansas, and Kentucky.

Table 9.- Average staple length of American upland cotton ginned in the United States, by States, crops of 1928-37

State	1928	1929	1930	1931	1932	1933	1934	1935	1936	1937
United States	15.18	15.11	15.22	15.44	15.45	15.55	15.58	15.47	15.77	15.55
Alabama	14.34	14.08	14.19	14.58	14.54	14.65	14.53	14.34	14.93	14.79
Arizona	16.51	16.37	16.36	16.64	16.90	16.88	17.05	16.91	17.09	17.27
Arkansas	15.62	15.46	15.67	16.08	16.24	16.43	16.17	15.99	15.94	15.77
California	16.52	16.86	17.37	17.34	17.66	17.41	17.80	17.54	17.61	18.00
Florida	14.60	14.19	14.45	14.60	14.41	14.58	14.59	14.33	14.75	14.87
Georgia	14.59	14.41	14.55	14.73	14.80	14.82	15.13	15.18	15.42	15.30
Louisiana	15.46	15.48	15.61	15.96	15.71	16.10	15.74	16.18	16.43	15.88
Mississippi	16.45	16.51	16.27	16.92	16.94	17.29	17.28	16.82	17.03	16.65
Missouri	15.68	15.62	15.25	15.44	15.83	15.79	15.69	15.57	15.37	15.39
New Mexico	16.64	16.63	16.99	16.61	16.97	16.88	17.50	17.30	17.03	17.29
North Carolina	14.69	14.75	15.08	15.23	15.58	15.31	15.76	15.65	16.07	15.81
Oklahoma	15.09	14.60	14.92	14.94	14.89	15.24	14.49	14.69	14.43	14.63
South Carolina	15.16	15.02	15.49	15.55	15.98	15.70	16.10	16.04	16.36	15.84
Tennessee	14.84	15.04	15.03	15.20	15.62	15.45	15.19	15.02	15.35	15.30
Texas	14.99	14.86	15.14	15.08	14.98	15.16	14.77	14.87	14.79	14.71
Virginia	14.55	14.67	14.65	14.92	14.85	14.69	14.84	15.29	15.40	15.13
All other 2/	17.08	17.37	16.05	15.96	16.19	16.02	16.16	15.68	16.09	16.01

1/ See footnote 1, table 8.
2/ Includes Illinois, Kansas and Kentucky.

Table 10.- Grade of American upland cotton ginned in the United States during specified periods, 1/ by States, crop of 1937

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

Grade	Total crop	UNITED STATES				
		Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades 2/....	18,237.1	8,257.2	4,894.7	3,011.9	1,466.8	806.5
White	13,881.0	6,675.1	3,914.4	2,152.6	819.8	321.1
1-M.F.	---	---	---	---	---	---
2-S.G.M.	7	.6	.1	---	---	---
3-G.M.	555.6	202.2	240.0	112.6	.8	---
4-S.M.	2,655.3	1,876.6	481.8	264.1	29.5	3.3
5-M.	4,872.9	3,093.8	1,193.1	456.9	113.4	15.7
6-S.L.M.	3,704.4	1,228.9	1,484.0	778.7	160.1	52.7
7-L.M.	1,466.2	237.9	466.2	445.1	258.7	48.3
8-S.G.O. 3/....	486.4	30.4	46.9	84.5	208.9	116.7
9-G.O. 3/....	149.5	2.7	3.5	10.7	48.4	84.4
Spotted	4,091.9	1,571.7	975.9	825.5	546.7	173.1
3-G.M.	81.3	51.3	23.6	5.3	1.0	.1
4-S.M.	1,584.8	873.9	414.4	222.4	63.4	10.7
5-M.	1,663.7	562.2	453.6	452.3	169.9	25.7
6-S.L.M. 3/....	510.2	75.6	76.6	116.6	187.1	54.3
7-L.M. 3/....	251.9	8.7	7.7	28.9	124.3	82.3
Tinged	162.7	9.0	3.4	31.0	65.7	43.6
3-G.M.	1.7	1.1	.2	---	---	---
4-S.M.	17.4	3.6	.9	9.1	3.4	.4
5-M. 3/....	35.8	3.7	1.9	12.2	14.9	3.1
6-S.L.M. 3/....	33.5	.4	.4	4.5	17.6	10.6
7-L.M. 3/....	64.5	.2	---	4.8	29.8	29.5
Yellow Stained	3.7	.2	.1	.5	1.5	1.4
3-G.M.	---	---	---	---	---	---
4-S.M. 2/....	.6	.2	---	.2	.2	---
5-M. 3/....	3.1	---	.1	.3	1.3	1.4
Gray	15.4	.1	.2	---	5.2	9.9
3-G.M.	---	---	---	---	---	---
4-S.M.	7.0	.1	.2	---	4.3	2.4
5-M. 3/....	8.4	---	---	---	.9	7.5
No grade 3/ 4/.....	92.4	3.1	.7	2.3	28.9	57.4

See footnotes at end of table.

Table 10.- Grade of American upland cotton ginned in the United States during specified periods, 1/ by States, crop of 1937 - Continued

ALABAMA						
Grade	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1- Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades 2/....	1,566.6	867.0	476.2	178.9	58.5	6.2
White	1,196.7	701.8	375.5	106.1	12.2	1.1
1-M.F.	---	---	---	---	---	---
2-S.G.M.1	.1	---	---	---	---
3-G.M.	8.6	6.7	1.9	---	---	---
4-S.M.	222.4	174.7	43.3	4.4	---	---
5-M.	544.0	342.2	172.6	27.3	1.8	.1
6-S.L.M.	323.7	144.3	124.5	50.5	4.0	.4
7-L.M.	86.3	31.8	30.2	21.0	4.8	.5
8-S.G.O. 3/....	9.1	1.9	2.8	2.8	1.5	.1
9-G.O. 3/....	.5	.1	.2	.1	.1	---
Spotted	347.8	161.0	99.6	67.2	16.9	3.1
3-G.M.	7.0	5.5	1.5	---	---	---
4-S.M.	125.6	73.6	39.3	12.2	.5	---
5-M.	178.1	70.0	53.0	47.6	6.9	.6
6-S.L.M. 3/....	33.9	11.2	5.3	7.1	8.1	2.2
7-L.M. 3/....	3.2	.7	.5	.3	1.4	.5
Tinged	20.5	3.7	1.1	5.2	8.8	1.7
3-G.M.3	.3	---	---	---	---
4-S.M.	3.7	1.1	.3	1.6	.7	---
5-M.	10.8	2.0	.5	3.3	4.7	.3
6-S.L.M. 3/....	3.4	.3	.3	.2	1.9	.7
7-L.M. 3/....	2.3	---	---	.1	1.5	.7
Yellow Stained9	---	---	.4	.2	.3
3-G.M.	---	---	---	.1	---	---
4-S.M. 3/....	.1	---	---	.1	---	---
5-M.8	---	---	.3	.2	.3
No grade 3/ 4/....	.7	.5	---	---	.2	---
ARIZONA						
All grades 2/....	299.2	32.8	57.0	69.2	97.5	42.7
White	197.4	32.3	56.5	61.9	22.8	23.9
1-M.F.	---	---	---	---	---	---
2-S.G.M.	---	---	---	---	---	---
3-G.M.	50.9	12.0	21.5	17.0	.4	---
4-S.M.	83.6	17.1	25.6	31.2	8.8	.9
5-M.	38.2	2.4	7.7	12.3	9.4	6.4
6-S.L.M.	20.0	.7	.7	.9	3.0	14.7
7-L.M.	3.6	.1	.4	.4	.8	1.4
8-S.G.O. 3/....	.7	---	.1	.1	.2	.3
9-G.O. 3/....	.4	---	---	---	.2	.2
Spotted	101.7	.5	.5	7.3	74.7	18.7
3-G.M.	1.5	.1	.1	.9	.4	---
4-S.M.	45.7	.1	.4	5.7	32.2	7.3
5-M.	42.9	.3	---	.5	32.9	9.2
6-S.L.M. 3/....	10.5	---	---	.2	8.4	1.9
7-L.M. 3/....	1.1	---	---	---	.5	.5
Tinged1	---	---	---	---	.1
3-G.M.	---	---	---	---	---	---
4-S.M.	---	---	---	---	---	---
5-M.	---	---	---	---	---	---
6-S.L.M. 3/....	.1	---	---	---	---	.1
7-L.M. 3/....	---	---	---	---	---	---

See footnotes at end of table.

Table 10.- Grade of American upland cotton ginned in the United States during specified periods, 1/ by States, crop of 1937 - Continued

ARKANSAS						
Grade	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1- Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades 2/....	1,808.9	732.2	629.9	278.4	189.5	76.9
White	1,311.0	557.5	480.5	206.6	120.6	46.4
1-M.F.	---	---	---	---	---	---
2-S.G.M.	9.5	9.0	.5	---	---	---
3-G.M.	186.5	166.3	16.1	1.9	.2	---
4-S.M.	534.6	373.2	143.2	16.7	1.4	.3
5-M.	457.9	100.6	261.5	96.5	8.5	.9
6-S.L.M.	196.9	7.8	63.2	73.1	47.6	4.0
7-L.M.	97.9	.6	3.8	15.4	50.5	27.6
8-S.G.O. 3/....	28.5	.1	.2	2.2	12.4	13.6
9-G.O. 3/....	---	---	---	---	---	---
Spotted	280.7	74.5	49.1	66.9	56.1	12.1
3-G.M.	1.3	1.0	.1	.2	---	---
4-S.M.	69.1	39.7	15.2	13.5	.8	.1
5-M.	106.2	30.2	28.9	34.7	10.5	.9
6-S.L.M. 3/....	31.4	3.3	4.5	16.7	23.4	3.5
7-L.M. 3/....	33.7	.3	.4	4.0	21.4	7.5
Tinged	21.1	---	---	3.5	9.3	5.5
3-G.M.	1.0	---	---	---	---	---
4-S.M.	---	---	---	1.5	1.1	.2
5-M.	2.8	---	---	.7	2.6	1.5
6-S.L.M. 3/....	5.1	---	---	.5	5.4	6.3
7-L.M. 3/....	12.2	---	---	---	---	---
Yellow Stained3	---	---	---	.1	.2
3-G.M.	---	---	---	---	---	---
4-S.M. 3/....	.3	---	---	---	.1	.2
5-M.3	---	---	---	---	---
Gray8	---	.2	---	---	.6
3-G.M.2	---	.2	---	---	---
4-S.M.6	---	---	---	---	.5
5-M.	---	---	---	---	---	---
No grade 3/ 4/....	16.0	.2	.1	.2	3.2	11.3
CALIFORNIA						
All grades 2/....	723.0	40.4	232.9	245.2	137.2	67.3
White	653.1	39.5	230.0	242.1	108.1	48.1
1-M.F.	---	---	---	---	---	---
2-S.G.M.	---	---	---	---	---	---
3-G.M.	272.4	26.1	170.3	76.0	---	---
4-S.M.	189.5	13.1	67.1	107.6	11.7	---
5-M.	104.6	.5	2.4	51.9	49.5	.3
6-S.L.M.	71.8	.1	.1	5.6	39.3	25.7
7-L.M.	16.9	---	---	---	2.2	14.6
8-S.G.O. 3/....	6.1	---	---	---	.3	5.8
9-G.O. 3/....	1.8	---	---	---	.1	1.7
Spotted	46.0	.6	2.9	3.1	26.9	10.5
3-G.M.3	.2	.1	---	---	---
4-S.M.	13.6	.4	2.6	2.3	5.7	2.5
5-M.	21.6	---	.2	.8	16.7	3.9
6-S.L.M. 3/....	9.4	---	---	---	6.1	3.3
7-L.M. 3/....	1.1	---	---	---	.4	.7
Gray	13.5	---	---	---	5.1	3.4
3-G.M.	---	---	---	---	---	---
4-S.M.	6.7	---	---	---	4.3	2.4
5-M.	6.8	---	---	---	.9	5.0
No grade 3/ 4/....	.4	---	---	---	.1	.3

See footnotes at end of table.

Table 10.- Grade of American upland cotton ginned in the United States during specified periods, 1/ by States, crop of 1937 - Continued

FLORIDA						
Grade	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1- Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades 2/....	32.3	27.4	4.2	0.5	0.1	0.1
White	18.1	15.9	2.1	.1	---	---
1-M.F.	---	---	---	---	---	---
2-S.G.M.	---	---	---	---	---	---
3-G.M.	---	---	---	---	---	---
4-S.M.	1.1	1.1	.1	---	---	---
5-M.	6.4	6.5	.5	.1	---	---
6-S.L.M.	5.7	5.1	1.1	---	---	---
7-L.M.	3.9	2.8	.4	---	---	---
8-S.G.O. 3/....	1.0	.6	.4	---	---	---
9-G.O. 3/....	---	---	---	---	---	---
Spotted	14.1	11.4	2.1	.4	.1	.1
3-G.M.1	.1	---	---	---	---
4-S.M.	4.4	4.4	---	---	---	---
5-M.	7.1	5.7	1.0	.2	.1	.1
6-S.L.M. 3/....	2.2	1.0	1.0	.2	---	---
7-L.M. 3/....	.3	.2	.1	---	---	---
No grade 3/ 4/....	.1	.1	---	---	---	---
GEORGIA						
All grades 2/....	1,473.1	881.5	367.0	184.9	50.5	9.2
White	1,113.7	703.8	286.9	94.7	25.0	3.3
1-M.F.	---	---	---	---	---	---
2-S.G.M.1	.1	---	---	---	---
3-G.M.	10.1	7.7	2.2	.1	.1	---
4-S.M.	169.5	134.2	28.8	5.4	.8	.3
5-M.	438.5	326.3	82.0	20.6	5.2	1.2
6-S.L.M.	320.5	173.9	100.0	37.5	8.2	.9
7-L.M.	150.7	53.8	60.7	27.8	7.7	.7
8-S.G.O. 3/....	24.3	6.8	12.0	3.0	2.3	.2
9-G.O. 3/....	3.2	1.0	1.2	.3	.7	---
Spotted	346.6	174.2	79.1	86.2	22.1	5.0
3-G.M.	11.7	9.3	1.9	.4	.1	---
4-S.M.	128.9	81.4	29.6	15.6	2.3	---
5-M.	170.5	72.3	40.1	42.8	12.8	2.6
6-S.L.M. 3/....	31.3	10.2	6.4	7.0	6.1	1.6
7-L.M. 3/....	4.2	1.0	1.1	.4	.8	.9
Tinged	11.4	3.0	.7	3.6	3.3	.8
3-G.M.	1.0	.7	.1	.2	---	---
4-S.M.	4.2	1.4	.2	2.0	.6	---
5-M.	4.6	.8	.3	1.2	2.1	.1
6-S.L.M. 3/....	.7	---	.1	.1	.6	---
7-L.M. 3/....	1.0	.1	---	.1	.1	.7
Yellow Stained4	.1	---	.1	.1	.1
3-G.M.	---	---	---	---	---	---
4-S.M. 3/....	.2	.1	---	.1	---	---
5-M. 3/....	.2	---	---	---	.1	.1
No grade 3/ 4/....	1.0	.4	.3	.3	---	---

See footnotes at end of table.

Table 10.- Grade of American upland cotton ginned in the United States during specified periods, 1/ by States, crop of 1937 - Continued

LOUISIANA						
Grade	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1- Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades 2/....	1,050.6	667.9	250.2	89.0	32.8	10.7
White	797.3	485.3	195.8	78.8	28.9	8.5
1-M.F.	---	---	---	---	---	---
2-S.G.M.	---	---	---	---	---	---
3-G.M.	6.9	6.6	.3	---	---	---
4-S.M.	117.9	110.1	6.9	.7	.1	.1
5-M.	271.9	229.2	36.4	5.0	1.0	.3
6-S.L.M.	238.8	115.2	88.3	27.1	3.8	.4
7-L.M.	129.7	19.0	57.9	36.4	15.6	.8
8-S.G.O. 3/....	27.1	1.0	5.7	8.7	7.4	4.3
9-G.O. 3/....	5.0	.2	.3	.9	1.0	2.6
Spotted	251.7	161.8	54.4	10.1	3.9	1.5
3-G.M.	3.7	3.1	.6	---	---	---
4-S.M.	106.0	92.6	12.6	.9	.1	---
5-M.	106.6	73.0	27.6	4.6	1.0	.4
6-S.L.M. 3/....	31.0	12.5	12.4	3.7	2.1	.3
7-L.M. 3/....	4.4	.7	1.3	.9	.7	.8
Tinged2	.1	---	---	---	.1
3-G.M.	---	---	---	---	---	---
4-S.M.1	.1	---	---	---	---
5-M. 3/....	---	---	---	---	---	---
6-S.L.M. 3/....	---	---	---	---	---	---
7-L.M. 3/....	.1	---	---	---	---	.1
No grade 3/ 4/....	1.4	.7	---	.1	---	.6
MISSISSIPPI						
All grades 2/....	2,561.8	1,214.1	690.8	328.8	186.7	142.4
White	2,277.6	1,069.0	624.7	306.0	167.5	120.6
1-M.F.	---	---	---	---	---	---
2-S.G.M.1	.1	---	---	---	---
3-G.M.	43.1	40.4	2.5	.1	.1	---
4-S.M.	355.8	303.1	47.3	4.3	.9	.2
5-M.	709.7	511.5	172.4	22.1	3.2	.6
6-S.L.M.	651.8	188.8	303.1	141.0	17.8	1.1
7-L.M.	306.9	14.5	96.6	114.9	71.4	10.6
8-S.G.O. 3/....	141.0	.6	3.7	20.7	62.0	54.0
9-G.O. 3/....	69.4	---	.2	2.9	15.1	54.2
Spotted	283.5	154.9	66.0	21.9	15.4	5.3
3-G.M.	9.6	5.8	3.4	.4	---	---
4-S.M.	139.0	94.8	35.6	7.5	1.0	.1
5-M.	97.9	46.7	25.2	10.7	4.8	.4
6-S.L.M. 3/....	21.5	5.4	5.3	2.9	8.1	1.8
7-L.M. 3/....	5.6	.2	.5	.4	1.4	3.0
Tinged	3.1	.1	---	.6	1.3	1.1
3-G.M.	---	---	---	---	---	---
4-S.M.7	.1	---	.2	.4	---
5-M.	1.0	---	---	.3	.4	.3
6-S.L.M. 3/....	.8	---	---	.1	.4	.3
7-L.M. 3/....	.6	---	---	---	.1	.5
Yellow Stained1	---	---	---	.1	---
3-G.M.	---	---	---	---	---	---
4-S.M. 3/....	.1	---	---	---	.1	---
5-M. 3/....	---	---	---	---	---	---
Gray8	---	---	---	---	.8
3-G.M.	---	---	---	---	---	---
4-S.M. 3/....	---	---	---	---	---	---
5-M. 3/....	.8	---	---	---	---	.8
No grade 3/ 4/....	16.5	.1	.1	.3	1.4	14.6

See footnotes at end of table.

Table 10.- Grade of American upland cotton ginned in the United States during specified periods, by States, crop of 1957 - Continued

Grade	Total crop	MISSOURI					
		Ginnings during specified period					
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15	
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	
All grades 2/....	390.2	100.1	110.7	76.9	72.0	30.5	
White	224.2	88.6	102.7	20.7	10.2	1.8	
1-M.F.	---	---	---	---	---	---	
2-S.G.M.	---	---	---	---	---	---	
3-G.M.3	.3	---	---	---	---	
4-S.M.	23.9	19.8	4.0	.1	---	---	
5-M.	94.0	56.0	36.6	1.4	---	.1	
6-S.L.M.	80.0	12.1	58.3	9.4	.2	---	
7-L.M.	8.6	.6	3.9	3.5	.8	---	
8-S.G.O. 3/....	10.7	---	---	4.4	5.7	.6	
9-G.O. 3/....	6.5	---	---	1.9	3.5	1.1	
Spotted	96.0	11.0	8.0	48.3	26.6	2.1	
3-G.M.7	.5	---	.2	---	---	
4-S.M.	14.2	6.4	3.0	4.7	.1	---	
5-M.	27.3	3.4	4.6	18.2	1.1	---	
6-S.L.M. 3/....	21.7	.6	.4	12.6	7.9	.2	
7-L.M. 3/....	32.1	.1	---	12.6	17.5	1.9	
Tinged	33.9	---	---	6.9	19.7	7.3	
3-G.M.	---	---	---	---	---	---	
4-S.M.9	---	---	.9	---	---	
5-M. 3/....	1.3	---	---	1.1	.2	---	
6-S.L.M. 3/....	6.4	---	---	1.6	4.5	.3	
7-L.M. 3/....	25.3	---	---	3.3	15.0	7.0	
Yellow Stained9	---	---	---	.6	.3	
3-G.M.	---	---	---	---	---	---	
4-S.M. 3/....	---	---	---	---	---	---	
5-M. 3/....	.9	---	---	---	.6	.3	
No grade 3/ 4/....	35.2	.3	---	1.0	14.9	19.0	
NEW MEXICO							
All grades 2/....	153.8	17.6	44.9	57.8	26.0	7.6	
White	116.7	17.4	44.1	51.6	5.4	.2	
1-M.F.	---	---	---	---	---	---	
2-S.G.M.	---	---	---	---	---	---	
3-G.M.	39.9	11.1	13.6	15.2	---	---	
4-S.M.	65.6	6.0	26.8	30.9	2.1	---	
5-M.	11.0	.3	3.6	5.3	1.8	---	
6-S.L.M.	1.5	---	.1	.2	---	---	
7-L.M.2	---	---	.2	---	---	
8-S.G.O. 3/....	.2	---	---	---	.1	.1	
9-G.O. 3/....	.1	---	---	---	---	.1	
Spotted	32.5	.1	.8	6.2	18.9	6.5	
3-G.M.	1.9	---	.1	1.5	.3	---	
4-S.M.	11.9	.1	.7	3.7	7.4	---	
5-M.	7.0	---	---	.9	5.6	.6	
6-S.L.M. 3/....	4.2	---	---	.1	2.7	1.4	
7-L.M. 3/....	7.5	---	---	---	2.9	4.6	
Tinged	1.8	---	---	---	1.7	.1	
3-G.M.	---	---	---	---	---	---	
4-S.M.1	---	---	---	---	.1	
5-M. 3/....	.6	---	---	---	.6	---	
6-S.L.M. 3/....	1.0	---	---	---	1.0	---	
7-L.M. 3/....	.1	---	---	---	.1	---	
No grade 3/ 4/....	.6	---	---	---	---	.6	

See footnotes at end of table.

Table 10.- Grade of American upland cotton ginned in the United States during specified periods, by States, crop of 1957 - Continued

Grade	Total crop	NORTH CAROLINA					
		Ginnings during specified period					
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15	
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	
All grades 2/....	780.6	217.9	290.6	200.5	59.1	12.5	
White	681.6	191.4	241.6	146.4	42.8	9.4	
1-M.F.	---	---	---	---	---	---	
2-S.G.M.	7.0	5.2	1.6	.2	---	---	
3-G.M.	78.0	42.6	25.8	7.4	1.2	.8	
4-S.M.	253.6	96.2	96.2	46.0	12.6	2.6	
5-M.	229.6	42.4	101.1	67.1	16.6	2.1	
6-S.L.M.	62.0	2.7	19.3	25.5	11.0	5.5	
7-L.M.	5.3	.1	.6	1.2	1.2	.2	
8-S.G.O. 3/....	---	---	---	---	---	---	
9-G.O. 3/....	---	---	---	---	---	---	
Spotted	143.7	26.3	48.2	51.5	16.3	2.4	
3-G.M.	2.0	1.2	.4	.2	2.3	.1	
4-S.M.	51.9	13.9	18.9	16.7	10.3	1.2	
5-M.	82.0	10.7	27.6	32.2	2.6	.7	
6-S.L.M. 3/....	7.2	.4	1.1	2.4	.1	.4	
7-L.M. 3/....	.6	.1	---	---	---	---	
Tinged	5.1	---	.8	.2	---	---	
3-G.M.2	---	.2	1.4	.4	.3	
4-S.M.	2.3	---	.6	1.0	.6	.4	
5-M. 3/....	2.6	---	---	---	---	---	
6-S.L.M. 3/....	---	---	---	---	---	---	
7-L.M. 3/....	---	---	---	---	---	---	
No grade 3/ 4/....	.2	.2	---	---	---	---	
OKLAHOMA							
All grades 2/....	756.4	232.9	247.7	170.7	83.9	21.2	
White	439.7	165.2	166.1	80.4	35.5	3.5	
1-M.F.	---	---	---	---	---	---	
2-S.G.M.1	.1	.1	.1	---	---	
3-G.M.	46.4	25.6	17.1	2.6	---	---	
4-S.M.	117.6	55.6	51.4	10.1	.5	---	
5-M.	117.6	41.2	50.1	23.9	2.5	.2	
6-S.L.M.	102.3	30.9	27.6	31.8	11.6	2.1	
7-L.M.	47.4	9.6	6.0	11.0	16.7	1.2	
8-S.G.O. 3/....	7.8	.6	.6	1.0	4.4	---	
9-G.O. 3/....	---	---	---	---	---	---	
Spotted	306.2	67.4	92.4	89.6	44.9	10.9	
3-G.M.	9.9	.6	.3	---	.1	---	
4-S.M.	93.3	28.6	37.6	26.7	1.2	---	
5-M.	122.0	24.9	42.9	44.7	9.1	.4	
6-S.L.M. 3/....	56.6	9.5	10.0	15.0	18.6	3.3	
7-L.M. 3/....	32.4	3.7	1.6	4.2	15.7	7.2	
Tinged	7.5	.2	.2	.6	2.0	4.6	
3-G.M.	---	---	---	---	---	---	
4-S.M.3	---	.1	.2	.3	---	
5-M. 3/....	.6	.1	.1	.3	1.1	.6	
6-S.L.M. 3/....	2.1	.1	---	---	.6	3.8	
7-L.M. 3/....	4.4	---	---	---	---	---	
Gray1	---	---	---	---	---	
3-G.M.	---	---	---	---	---	---	
4-S.M.	---	---	---	---	---	---	
5-M. 3/....	.1	---	---	---	.1	---	
No grade 3/ 4/....	3.8	.1	---	.1	1.4	2.2	

See footnotes at end of table.

Table D.- Grade of American upland cotton ginned in the United States during specified periods, 1/ by States, crop of 1937 - Continued

SOUTH CAROLINA						
Grade	Total crop 1,000 bales	Ginnings during specified period				
		Prior to Oct. 1 1,000 bales	October 1,000 bales	November 1,000 bales	Dec. 1- Jan. 15 1,000 bales	After Jan. 15 1,000 bales
All grades 2/....	996.2	414.6	356.7	186.6	47.7	10.6
White	726.4	322.0	256.7	106.7	32.3	7.7
1-M.F.	---	---	---	---	---	---
2-S-G-M.	---	---	---	---	---	---
3-G-M.	1.3	1.0	.2	.1	---	---
4-S-M.	57.7	42.8	10.9	2.6	.7	.6
5-M.	284.6	157.1	90.6	24.4	9.6	2.7
6-S-L-M.	297.0	101.6	124.9	54.4	13.8	2.3
7-L-M.	80.5	18.0	30.6	23.3	6.6	1.6
8-S-G-O. 3/....	5.5	1.5	1.3	1.0	1.4	.3
9-G-O. 3/....	---	---	---	---	---	---
Spotted	266.6	91.6	97.7	58.9	14.6	2.9
3-G-M.	3.2	2.5	.6	.1	---	---
4-S-M.	35.7	40.3	32.7	11.3	.8	.1
5-M.	186.4	44.2	59.0	42.2	10.6	2.4
6-S-L-M. 3/....	17.8	4.0	5.3	5.1	3.0	.4
7-L-M. 3/....	.6	.1	.1	.2	.1	---
Tinged	3.8	.7	.2	2.0	.9	---
3-G-M.1	.1	---	---	---	---
4-S-M.	1.3	.4	.1	.7	.1	---
5-M.	2.3	.2	.1	1.3	.7	---
6-S-L-M. 3/....	.1	---	---	---	.1	---
7-L-M. 3/....	---	---	---	---	---	---
No grade 3/ 4/.....	.4	.3	.1	---	---	---
TENNESSEE						
All grades 2/....	633.3	151.7	203.3	137.8	106.7	33.8
White	422.7	132.5	174.6	64.6	40.1	10.9
1-M.F.	---	---	---	---	---	---
2-S-G-M.	---	---	---	---	---	---
3-G-M.	3.2	2.4	.8	---	---	---
4-S-M.	75.3	57.1	17.3	.8	.1	---
5-M.	135.9	65.2	61.9	8.2	.4	.2
6-S-L-M.	135.9	7.6	86.8	39.5	2.9	.1
7-L-M.	29.0	.2	8.6	12.5	7.4	.3
8-S-G-O. 3/....	32.4	---	.2	3.3	22.2	6.7
9-G-O. 3/....	11.0	---	---	.5	7.1	3.6
Spotted	174.7	19.1	28.7	67.5	48.8	10.6
3-G-M.	1.6	1.1	.2	.2	---	.1
4-S-M.	39.7	12.2	12.7	13.0	1.6	.2
5-M.	67.1	5.1	13.4	37.5	10.5	.6
6-S-L-M. 3/....	38.1	.7	2.2	14.0	16.4	2.8
7-L-M. 3/....	28.2	---	.2	2.8	18.3	6.9
Tinged	24.4	---	---	5.6	12.2	5.6
3-G-M.	2.2	---	---	1.2	1.0	---
4-S-M.	5.4	---	---	2.1	3.1	.2
5-M.	6.1	---	---	1.6	2.9	1.6
6-S-L-M. 3/....	10.7	---	---	.7	5.2	4.8
Yellow Stained6	---	---	---	.3	.3
3-G-M.1	---	---	---	.1	---
4-S-M.5	---	---	---	.2	.3
5-M.	---	---	---	---	---	---
No grade 3/ 4/.....	10.9	.1	---	.1	5.3	5.4

See footnotes at end of table.

Table 10.- Grade of American upland cotton ginned in the United States during specified periods, 1/ by States, crop of 1937 - Continued

TEXAS						
Grade	Total crop 1,000 bales	Ginnings during specified period				
		Prior to Oct. 1 1,000 bales	October 1,000 bales	November 1,000 bales	Dec. 1- Jan. 15 1,000 bales	After Jan. 15 1,000 bales
All grades 2/....	4,962.4	2,649.4	1,012.7	829.2	331.7	129.4
White	3,496.8	2,061.4	666.9	574.9	168.5	34.1
1-M.F.8	.2	.1	---	---	---
2-S-G-M.	100.8	72.3	24.5	3.8	.2	---
3-G-M.	983.2	761.3	164.5	64.3	2.9	.2
4-S-M.	1,319.9	865.2	232.3	206.4	16.3	.7
5-M.	727.9	289.0	163.6	215.6	26.2	3.3
6-S-L-M.	270.7	55.0	64.1	72.2	69.7	9.7
7-L-M.	78.7	7.7	7.2	12.5	36.9	14.4
8-S-G-O. 3/....	14.3	.7	.6	.9	6.3	5.6
9-G-O. 3/....	---	---	---	---	---	---
Spotted	1,432.5	596.5	345.2	254.0	156.3	80.5
3-G-M.	35.6	20.4	14.1	1.2	.1	.2
4-S-M.	668.0	384.7	173.3	89.4	7.4	---
5-M.	473.9	173.3	131.3	131.6	35.6	2.1
6-S-L-M. 3/....	171.8	16.5	24.6	29.1	70.9	30.7
7-L-M. 3/....	96.0	1.6	1.9	2.7	42.3	47.6
Tinged	18.8	1.2	.4	.2	5.2	11.8
3-G-M.1	---	.1	---	---	---
4-S-M.6	.5	---	.1	---	---
5-M.	3.5	.6	.5	---	1.0	1.6
6-S-L-M. 3/....	7.6	---	---	.1	2.6	4.9
7-L-M. 3/....	7.0	.1	---	---	1.6	5.3
Yellow Stained4	.1	.1	---	---	.2
3-G-M.1	.1	---	---	---	---
4-S-M.3	---	.1	---	---	.2
5-M.	---	---	---	---	---	---
Gray2	.1	---	---	---	.1
3-G-M.1	.1	---	---	---	---
4-S-M.1	---	---	---	---	.1
5-M.	---	---	---	---	---	---
No grade 3/ 4/.....	4.7	.1	.1	.1	1.7	2.7
VIRGINIA						
All grades 2/....	40.2	5.1	13.5	14.0	5.6	2.0
White	33.2	4.7	12.4	11.0	3.8	1.3
1-M.F.	---	---	---	---	---	---
2-S-G-M.	---	---	---	---	---	---
3-G-M.5	.2	.2	.1	---	---
4-S-M.	6.1	1.6	2.7	1.2	.5	.1
5-M.	20.5	2.2	7.8	7.7	2.1	.8
6-S-L-M.	5.7	.7	1.6	2.0	1.0	.4
7-L-M.8	---	.1	---	.2	---
8-S-G-O. 3/....	---	---	---	---	---	---
9-G-O. 3/....	---	---	---	---	---	---
Spotted	6.9	.4	1.1	3.0	1.7	.7
3-G-M.	---	---	---	---	---	---
4-S-M.7	.1	.2	.4	---	---
5-M.	5.2	.2	.8	2.5	1.2	.5
6-S-L-M. 3/....	1.0	.1	.1	.1	.5	.2
7-L-M. 3/....	---	---	---	---	---	---
Tinged1	---	---	---	.1	---
3-G-M.	---	---	---	---	---	---
4-S-M.1	---	---	---	.1	---
5-M.	---	---	---	---	---	---
6-S-L-M. 3/....	---	---	---	---	---	---
7-L-M. 3/....	---	---	---	---	---	---

See footnotes at end of table.

Table 10.- Grade of American upland cotton ginned in the United States during specified periods, 1/ by States, crop of 1937 - Continued

Grade	Total crop 1,000 bales	Ginnings during specified period					
		Prior to Oct. 1	October	November	Dec. 1- Jan. 15	After Jan. 15	
		1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	
All grades 2/	18.5	4.7	6.4	3.5	2.5	1.4	
White	13.6	4.3	6.3	1.9	.9	.3	
1-M. 2/	---	---	---	---	---	---	
2-S.M. 2/	---	---	---	---	---	---	
3-G.M. 2/	1.2	1.1	.1	---	---	---	
4-S.M. 2/	5.1	3.0	2.1	---	---	---	
5-M. 2/	4.3	.2	3.6	.6	.1	---	
6-S.L.M. 2/	1.3	---	.5	.7	.3	---	
7-L.M. 2/	1.7	---	---	.2	.6	.3	
8-S.O.M. 2/	1.0	---	---	---	---	---	
9-G.O. 2/	2.7	.4	.1	1.4	.6	.2	
Spotted	---	---	---	---	---	---	
3-G.M. 2/1	---	.1	---	.1	---	
4-S.M. 2/9	.2	---	.6	.4	---	
5-M. 2/6	.2	---	.4	.5	.2	
6-S.L.M. 2/	1.1	---	---	---	---	---	
7-L.M. 2/	---	---	---	.2	.2	.4	
Tinged8	---	---	---	---	---	
3-G.M. 2/	---	---	---	---	---	---	
4-S.M. 2/1	---	---	.1	---	---	
5-M. 2/1	---	---	.1	---	.3	
6-S.L.M. 2/6	---	---	.1	.2	---	
7-L.M. 2/	---	---	---	---	---	---	
Yellow Stained1	---	---	---	.1	---	
3-G.M. 2/	---	---	---	---	---	---	
4-S.M. 2/	---	---	---	---	---	---	
5-M. 2/1	---	---	---	.1	---	
No grade 3/ 4/	1.3	---	---	.1	.7	.5	

1/ Periods are those used by the Bureau of the Census.

2/ As reported by the Bureau of the Census.

3/ Unrepresentable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

4/ Includes bales not otherwise classified above.

5/ Includes Illinois, Kansas, and Kentucky.

Table 11.- Grade of American-Egyptian cotton ginned in the United States during specified periods, 1/ crop of 1937

(Quantities are given in running bales)

Grade	Total crop	Ginnings during specified period					
		Prior to Oct. 1	October	November	Dec. 1- Jan. 15	After Jan. 15	
		1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	
All grades 2/	11.0	1.8	3.5	2.7	1.6	1.4	
1 and 1 1/2	7.2	1.4	2.9	2.2	.7	---	
2 and 2 1/2	2.9	.4	.6	.5	.8	.6	
3 and 3 1/27	---	---	---	.1	.6	
4 and 4 1/22	---	---	---	---	.2	
5	---	---	---	---	---	---	
Below 5	---	---	---	---	---	---	

1/ Periods are those used by the Bureau of the Census.

2/ As reported by the Bureau of the Census.

Table 12.- Grade 1/ of Sea-Island cotton ginned in the United States during specified periods, 2/ crop of 1937

(Quantities are given in running bales)

Grade	Total crop	Ginnings during specified period					
		Prior to Oct. 1	October	November	Dec. 1- Jan. 15	After Jan. 15	
		1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	
All grades 3/	4.0	1.1	2.1	0.5	0.3	---	
17	.3	.3	.1	---	---	
2	1.2	.4	.7	---	.1	---	
3	1.1	.3	.6	.1	.1	---	
47	.1	.4	.1	.1	---	
52	---	.1	.1	---	---	
6	---	---	---	---	---	---	
Below 61	---	---	.1	---	---	

1/ In classing for grade the standards for Sea-Island cotton in effect from Oct. 25, 1918 - Jan. 22, 1925 were used as a guide.

2/ Periods are those used by the Bureau of the Census.

3/ As reported by the Bureau of the Census.

Table 13.- Staple length of American upland cotton in the United States during specified periods, $\frac{1}{2}$ by States, crop of 1937

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

Staple length (inches)	UNITED STATES					
	Ginnings during specified period					
	Total crop	Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All lengths $\frac{2}{8}$ /....	18,237.1	8,267.2	4,894.7	3,011.9	1,466.8	606.5
Shorter than $\frac{7}{8}$ $\frac{3}{8}$ /....	1,834.6	738.3	508.3	323.3	166.1	98.6
$\frac{7}{8}$ and $\frac{29}{32}$ /....	5,235.0	2,516.7	1,326.9	863.8	416.8	110.8
$\frac{15}{16}$ and $\frac{31}{32}$ /....	5,038.7	2,301.8	1,336.4	863.4	384.5	162.6
1 and $\frac{1-1}{32}$ /....	3,542.4	1,773.6	987.7	449.1	211.7	120.3
1 and $\frac{1-1}{32}$ /....	1,638.5	573.5	403.5	329.9	218.7	106.9
$\frac{1-1}{16}$ and $\frac{1-5}{32}$ /....	842.2	281.0	300.9	186.8	66.5	7.0
$\frac{1-1}{8}$ and $\frac{1-5}{32}$ /....	90.2	62.7	20.1	5.0	2.1	.3
$\frac{1-5}{16}$ and $\frac{1-7}{32}$ /....	15.5	9.6	4.9	.6	.4	---
$\frac{1-1}{4}$ and longer /....						
ALABAMA						
All lengths $\frac{2}{8}$ /....	1,566.6	867.0	476.2	178.9	38.3	6.2
Shorter than $\frac{7}{8}$ $\frac{3}{8}$ /....	269.9	149.1	87.5	26.9	6.0	.4
$\frac{7}{8}$ and $\frac{29}{32}$ /....	736.5	399.1	216.8	91.8	24.9	3.9
$\frac{15}{16}$ and $\frac{31}{32}$ /....	401.2	204.7	136.8	51.9	7.1	1.7
1 and $\frac{1-1}{32}$ /....	151.9	108.9	34.5	8.0	.3	.2
1 and $\frac{1-1}{32}$ /....	5.6	4.9	.8	.2	---	---
$\frac{1-1}{16}$ and $\frac{1-5}{32}$ /....	1.1	.5	.5	.1	---	---
$\frac{1-1}{8}$ and $\frac{1-5}{32}$ /....	.3	---	.3	---	---	---
$\frac{1-5}{16}$ and $\frac{1-7}{32}$ /....	.1	.1	---	---	---	---
$\frac{1-1}{4}$ and longer /....						

See footnotes at end of table.

Table 13.- Staple length of American upland cotton in the United States during specified periods, $\frac{1}{2}$ by States, crop of 1937 - Continued

Staple length (inches)	ARIZONA					
	Ginnings during specified period					
	Total crop	Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All lengths $\frac{2}{8}$ /....	299.2	32.8	57.0	69.2	97.5	42.7
Shorter than $\frac{7}{8}$ $\frac{3}{8}$ /....	---	---	---	---	---	---
$\frac{7}{8}$ and $\frac{29}{32}$ /....	---	---	---	---	---	---
$\frac{15}{16}$ and $\frac{31}{32}$ /....	1.1	---	---	.3	.5	.5
1 and $\frac{1-1}{32}$ /....	76.2	4.1	5.3	17.8	31.8	17.2
$\frac{1-1}{16}$ and $\frac{1-5}{32}$ /....	211.3	28.0	44.5	49.6	64.3	24.9
$\frac{1-1}{8}$ and $\frac{1-5}{32}$ /....	10.5	.7	7.1	1.5	1.1	.1
$\frac{1-5}{16}$ and $\frac{1-7}{32}$ /....	.1	---	.1	---	---	---
$\frac{1-1}{4}$ and longer /....	---	---	---	---	---	---
ARKANSAS						
All lengths $\frac{2}{8}$ /....	1,808.9	732.2	529.9	278.4	189.5	78.9
Shorter than $\frac{7}{8}$ $\frac{3}{8}$ /....	103.8	33.3	36.6	22.9	9.6	1.4
$\frac{7}{8}$ and $\frac{29}{32}$ /....	330.2	114.2	106.6	64.8	42.4	12.2
$\frac{15}{16}$ and $\frac{31}{32}$ /....	651.2	244.5	181.4	108.5	82.5	34.3
1 and $\frac{1-1}{32}$ /....	499.6	242.0	142.8	69.7	34.1	21.0
$\frac{1-1}{16}$ and $\frac{1-5}{32}$ /....	161.4	76.6	37.7	22.3	16.5	8.3
$\frac{1-1}{8}$ and $\frac{1-5}{32}$ /....	54.3	20.4	20.1	8.9	3.2	1.7
$\frac{1-5}{16}$ and $\frac{1-7}{32}$ /....	7.1	1.1	4.1	1.0	.9	---
$\frac{1-1}{4}$ and longer /....	1.3	.1	.6	.3	.5	---

See footnotes at end of table.

Table 13.- Staple length of American upland cotton in the United States during specified periods, 1/ by States, crop of 1937 - Continued

Staple length (inches)	Total crop	Ginnings during specified period				
		Prior to	October	November	Dec. 1-	After
	1,000 bales	Oct. 1	1,000 bales	1,000 bales	Jan. 15	Jan. 15
CALIFORNIA						
All lengths 2/....	723.0	40.4	232.9	245.2	137.2	67.3
Shorter than 7/8 3/....	---	---	---	---	---	---
7/8 and 29/321	---	---	---	.1	---
15/16 and 31/32	---	---	---	---	---	---
1 and 1-1/32	25.1	1.2	1.7	2.2	8.1	11.9
1-1/16 and 1-3/32	310.7	24.5	57.5	96.4	77.9	54.4
1-1/8 and 1-5/32	384.2	14.7	172.0	145.8	50.7	1.0
1-3/16 and 1-7/32	2.9	---	1.7	.8	.4	---
1-1/4 and longer	---	---	---	---	---	---
FLORIDA						
All lengths 2/....	32.3	27.4	4.2	0.5	0.1	0.1
Shorter than 7/8 3/....	2.3	2.0	.3	---	---	---
7/8 and 29/32	23.4	19.5	3.3	.4	.1	.1
15/16 and 31/32	5.4	4.8	.5	.1	---	---
1 and 1-1/32	1.2	1.1	.1	---	---	---
1-1/16 and 1-3/32	---	---	---	---	---	---
1-1/8 and 1-5/32	---	---	---	---	---	---
1-3/16 and 1-7/32	---	---	---	---	---	---
1-1/4 and longer	---	---	---	---	---	---

See footnotes at end of table.

Table 13.- Staple length of American upland cotton in the United States during specified periods, 1/ by States, crop of 1937 - Continued

Staple length (inches)	Total crop	Ginnings during specified period				
		Prior to	October	November	Dec. 1-	After
	1,000 bales	Oct. 1	1,000 bales	1,000 bales	Jan. 15	Jan. 15
GEORGIA						
All lengths 2/....	1,473.1	881.5	367.0	164.9	50.5	9.2
Shorter than 7/8 3/....	68.8	34.3	24.5	8.4	1.6	---
7/8 and 29/32	539.1	359.0	112.0	44.7	19.5	3.9
15/16 and 31/32	498.9	253.4	126.3	87.2	27.1	4.9
1 and 1-1/32	351.1	221.7	102.4	24.4	2.2	.4
1-1/16 and 1-3/32	14.0	11.9	1.8	.2	.1	---
1-1/8 and 1-5/328	.4	---	---	---	---
1-3/16 and 1-7/324	---	---	---	---	---
1-1/4 and longer	---	---	---	---	---	---
LOUISIANA						
All lengths 2/....	1,050.6	667.9	250.2	89.0	32.8	10.7
Shorter than 7/8 3/....	81.7	53.3	23.5	4.2	.4	.5
7/8 and 29/32	123.4	77.8	29.5	10.5	4.5	1.1
15/16 and 31/32	317.2	169.5	83.1	41.1	17.1	6.4
1 and 1-1/32	389.8	254.7	94.4	28.1	9.8	2.8
1-1/16 and 1-3/32	117.4	95.0	16.9	4.5	.9	.1
1-1/8 and 1-5/32	19.4	16.0	2.7	.6	.1	---
1-3/16 and 1-7/32	1.7	1.6	.1	---	---	---
1-1/4 and longer	---	---	---	---	---	---

See footnotes at end of table.

Table 13.- Staple length of American upland cotton in the United States during specified periods, $\frac{1}{2}$ by States, crop of 1937 - Continued

MISSISSIPPI						
Staple length (inches)	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All lengths $\frac{2}{8}$	2,561.8	1,214.1	690.8	328.8	186.7	142.4
Shorter than $\frac{7}{8}$ $\frac{3}{8}$	54.5	24.5	18.5	9.3	2.0	.2
$\frac{7}{8}$ and $\frac{29}{32}$	153.3	62.6	49.7	22.4	12.1	6.5
$\frac{15}{16}$ and $\frac{31}{32}$	579.0	214.1	171.4	82.2	50.2	61.1
1 and $\frac{1}{2}$	841.9	331.3	182.3	120.6	81.4	56.3
$\frac{1}{2}$ and $\frac{1}{4}$	521.0	241.1	162.6	71.8	31.2	14.3
$\frac{1}{4}$ and $\frac{1}{8}$	324.6	213.3	79.9	19.6	8.0	3.8
$\frac{1}{8}$ and $\frac{1}{16}$	74.3	58.3	12.4	2.7	.7	.2
$\frac{1}{16}$ and longer	13.2	8.9	4.0	.2	.1	---
MISSOURI						
All lengths $\frac{2}{8}$	390.2	100.1	110.7	76.9	72.0	30.5
Shorter than $\frac{7}{8}$ $\frac{3}{8}$	32.9	8.0	9.8	4.0	8.1	3.0
$\frac{7}{8}$ and $\frac{29}{32}$	96.4	21.3	20.2	14.5	27.9	12.5
$\frac{15}{16}$ and $\frac{31}{32}$	182.2	34.7	36.7	35.3	31.4	14.1
1 and $\frac{1}{2}$	98.2	31.8	40.1	20.8	4.5	.9
$\frac{1}{2}$ and $\frac{1}{4}$	9.9	4.1	3.8	2.0	---	---
$\frac{1}{4}$ and $\frac{1}{8}$4	.2	.1	.1	---	---
$\frac{1}{8}$ and $\frac{1}{16}$1	---	---	---	.1	---
$\frac{1}{16}$ and longer1	---	---	.1	---	---

See footnotes at end of table.

Table 13.- Staple length of American upland cotton in the United States during specified periods, $\frac{1}{2}$ by States, crop of 1937 - Continued

NEW MEXICO						
Staple length (inches)	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All lengths $\frac{2}{8}$	153.8	17.5	44.9	57.8	26.0	7.6
Shorter than $\frac{7}{8}$ $\frac{3}{8}$	1.4	---	---	.5	.7	.2
$\frac{7}{8}$ and $\frac{29}{32}$	4.2	---	.1	1.5	1.9	.7
$\frac{15}{16}$ and $\frac{31}{32}$	2.9	---	---	.2	.8	1.9
1 and $\frac{1}{2}$	25.7	2.7	3.7	8.6	6.6	4.1
$\frac{1}{2}$ and $\frac{1}{4}$	103.1	13.3	33.7	40.6	14.9	.6
$\frac{1}{4}$ and $\frac{1}{8}$	16.2	1.5	7.3	6.3	1.1	---
$\frac{1}{8}$ and $\frac{1}{16}$3	---	.1	.1	---	.1
$\frac{1}{16}$ and longer	---	---	---	---	---	---
NORTH CAROLINA						
All lengths $\frac{2}{8}$	780.6	217.9	290.6	200.5	59.1	12.5
Shorter than $\frac{7}{8}$ $\frac{3}{8}$	10.1	2.6	3.3	3.3	.5	.4
$\frac{7}{8}$ and $\frac{29}{32}$	125.9	29.2	39.0	35.6	17.0	5.1
$\frac{15}{16}$ and $\frac{31}{32}$	306.2	55.6	106.8	108.0	32.2	3.6
1 and $\frac{1}{2}$	302.6	110.5	131.0	51.2	9.0	.8
$\frac{1}{2}$ and $\frac{1}{4}$	29.0	17.4	7.8	1.4	.2	2.2
$\frac{1}{4}$ and $\frac{1}{8}$	4.4	1.7	1.6	.6	.2	.4
$\frac{1}{8}$ and $\frac{1}{16}$	1.6	.6	.9	.4	---	---
$\frac{1}{16}$ and longer7	.4	.3	---	---	---

See footnotes at end of table.

Table 13.- Staple length of American upland cotton in the United States during specified periods, 1/ by States, crop of 1937 - Continued

Staple length (inches)	Total crop <u>1,000 bales</u>	Ginnings during specified period				
		Prior to Oct. 1	Oct.-ber	November	Dec. 1- Jan. 15	After Jan. 15
		<u>1,000 bales</u>	<u>1,000 bales</u>	<u>1,000 bales</u>	<u>1,000 bales</u>	<u>1,000 bales</u>
OKLAHOMA						
All lengths 2/....	756.4	232.9	247.7	170.7	83.9	21.2
Shorter than 7/8 3/...	164.0	66.6	39.4	29.6	17.1	11.3
7/8 and 29/32	375.2	113.8	123.0	88.3	44.9	5.2
15/16 and 31/32	176.6	46.7	67.7	39.5	18.4	4.3
1 and 1-1/32	34.2	5.5	13.4	11.5	3.4	.4
1-1/16 and 1-3/32	6.0	.3	3.9	1.7	.1	---
1-1/8 and 1-5/324	---	.3	.1	---	---
1-3/16 and 1-7/32	---	---	---	---	---	---
1-1/4 and longer	---	---	---	---	---	---
SOUTH CAROLINA						
All lengths 2/....	996.2	414.6	356.7	166.6	47.7	10.6
Shorter than 7/8 3/...	2.9	.9	1.1	.9	---	---
7/8 and 29/32	123.0	31.4	38.4	29.6	18.8	4.8
15/16 and 31/32	455.7	152.2	174.2	100.7	24.0	4.6
1 and 1-1/32	372.0	201.4	131.7	33.1	4.6	1.2
1-1/16 and 1-3/32	35.3	24.1	9.1	1.9	.2	---
1-1/8 and 1-5/32	6.1	3.8	1.8	.4	.1	---
1-3/16 and 1-7/32	1.1	.7	.4	---	---	---
1-1/4 and longer1	.1	---	---	---	---

See footnotes at end of table.

Table 13.- Staple length of American upland cotton in the United States during specified periods, 1/ by States, crop of 1937 - Continued

Staple length (inches)	Total crop 1,000 bales	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1- Jan. 15	After Jan. 15
		1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
TENNESSEE						
All lengths 2/....	633.3	151.7	203.3	137.8	106.7	33.8
Shorter than 7/8 3/....	97.6	34.9	38.9	16.1	5.7	2.0
7/8 and 29/32	116.2	28.9	31.6	19.2	27.8	8.7
15/16 and 31/32	249.5	46.5	64.0	57.1	61.0	20.9
1 and 1-1/32	157.0	39.2	63.3	40.5	11.8	2.2
1-1/16 and 1-3/32	12.9	2.2	5.4	4.9	.4	---
1-1/8 and 1-5/321	---	.1	---	---	---
1-3/16 and 1-7/32	---	---	---	---	---	---
1-1/4 and longer	---	---	---	---	---	---
TEXAS						
All lengths 2/....	4,952.4	2,649.4	1,012.7	829.2	331.7	129.4
Shorter than 7/8 3/....	944.3	328.8	224.9	197.0	114.4	79.2
7/8 and 29/32	2,469.6	1,258.1	552.3	443.1	171.2	44.9
15/16 and 31/32	1,214.9	872.0	179.1	133.1	28.3	2.4
1 and 1-1/32	203.9	153.4	25.1	20.8	3.8	.8
1-1/16 and 1-3/32	99.9	29.6	23.8	32.4	12.0	2.1
1-1/8 and 1-5/32	19.7	7.4	7.5	2.8	2.0	---
1-3/16 and 1-7/321	.1	---	---	---	---
1-1/4 and longer	---	---	---	---	---	---

See footnotes at end of table.

Table 13.- Staple length of American upland cotton in the United States during specified periods, $\frac{1}{2}$ by States, crop of 1937 - Continued

Staple length (inches)	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1- Jan. 15	After Jan. 15
		1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All lengths $\frac{2}{8}$	40.2	5.1	13.5	14.0	5.6	2.0
Shorter than $\frac{7}{8}$ $\frac{3}{4}$2	---	---	.1	---	.1
$\frac{7}{8}$ and $\frac{29}{32}$	17.2	1.7	4.3	7.3	2.9	1.0
$\frac{15}{16}$ and $\frac{31}{32}$	20.0	2.4	7.8	6.3	2.6	.9
1 and 1- $\frac{1}{32}$	2.7	.9	1.4	.3	.1	---
1- $\frac{1}{16}$ and 1- $\frac{3}{32}$1	.1	---	---	---	---
1- $\frac{1}{8}$ and 1- $\frac{5}{32}$	---	---	---	---	---	---
1- $\frac{3}{16}$ and 1- $\frac{7}{32}$	---	---	---	---	---	---
1- $\frac{1}{4}$ and longer.....	---	---	---	---	---	---

ALL OTHER STATES $\frac{4}{5}$

Staple length (inches)	Total crop	Prior to Oct. 1	October	November	Dec. 1- Jan. 15	After Jan. 15
All lengths $\frac{2}{8}$	18.5	4.7	6.4	3.5	2.5	1.4
Shorter than $\frac{7}{8}$ $\frac{3}{4}$2	---	---	.1	---	.1
$\frac{7}{8}$ and $\frac{29}{32}$	1.3	.1	.1	.1	.8	.2
$\frac{15}{16}$ and $\frac{31}{32}$	6.7	.7	1.6	1.9	1.5	1.0
1 and 1- $\frac{1}{32}$	9.4	3.2	4.5	1.4	.2	.1
1- $\frac{1}{16}$ and 1- $\frac{3}{32}$9	.7	.2	---	---	---
1- $\frac{1}{8}$ and 1- $\frac{5}{32}$	---	---	---	---	---	---
1- $\frac{3}{16}$ and 1- $\frac{7}{32}$	---	---	---	---	---	---
1- $\frac{1}{4}$ and longer.....	---	---	---	---	---	---

1/ Periods are those used by the Bureau of the Census.

2/ As reported by the Bureau of the Census.

3/ Undersirable in settlement of futures contracts made subject to sec. 5 of the United States Cotton

4/ Includes Illinois, Kansas, and Kentucky.

Table 14.- Staple length of American-Egyptian cotton ginned in the United States, during specified periods, $\frac{1}{2}$ crop of 1937
(quantities are given in running bales)

Staple length (inches)	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1- Jan. 15	After Jan. 15
		1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All lengths $\frac{2}{8}$	11.0	1.8	3.5	2.7	1.6	1.4
Shorter than $\frac{1}{2}$2	---	---	---	---	.2
$\frac{1}{2}$ and 1- $\frac{17}{32}$	2.8	.7	.6	.4	.3	.8
1- $\frac{9}{16}$ and 1- $\frac{19}{32}$...	6.5	1.1	2.1	1.8	1.1	.4
1- $\frac{5}{8}$ to 1- $\frac{23}{32}$	1.5	---	.8	.5	.2	---
1- $\frac{3}{4}$ and longer.....	---	---	---	---	---	---

1/ Periods are those used by the Bureau of the Census.

2/ As reported by the Bureau of the Census.

Table 15.- Staple length of Sea-Island Cotton ginned in the United States during specified periods, $\frac{1}{2}$ crop of 1937

(Quantities are given in running bales.)

Staple length (inches)	Total Crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1- Jan. 15	After Jan. 15
		1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All lengths $\frac{2}{8}$	4.0	1.1	2.1	0.5	0.3	---
Shorter than $\frac{1}{2}$	---	---	---	---	---	---
$\frac{1}{2}$ and 1- $\frac{17}{32}$5	---	.3	.2	---	---
1- $\frac{9}{16}$ and 1- $\frac{19}{32}$...	1.0	.3	.4	.1	.2	---
1- $\frac{5}{8}$ and 1- $\frac{21}{32}$...	1.6	.4	.9	.2	.1	---
1- $\frac{11}{16}$ and 1- $\frac{23}{32}$5	.2	.3	---	---	---
1- $\frac{3}{4}$ and longer.....	.4	.2	.2	---	---	---

1/ Periods are those used by the Bureau of the Census.

2/ As reported by the Bureau of the Census.

Table 16.- Staple length of American upland cotton ginned in designated districts of Alabama, crop of 1937 (fig. 1)

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

Staple length (inches)	Total		District 1		District 2		District 3		District 4		District 5		District 6	
	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent
All lengths	1/1,566.6	100.0	303.3	100.0	317.2	100.0	123.9	100.0	691.3	100.0	63.6	100.0	87.3	100.0
Shorter than 7/8 2/...	269.9	17.2	59.0	19.5	52.4	16.5	9.8	7.9	136.1	19.7	5.2	8.2	7.4	11.0
7/8 and 29/32	738.6	47.0	115.3	38.0	143.0	45.1	67.8	54.7	337.8	48.8	33.6	52.8	39.0	57.9
15/16 and 31/32	401.2	25.6	92.9	30.6	91.7	28.9	37.2	30.0	145.8	21.1	17.8	28.0	15.8	23.5
1 and 1-1/32	151.9	9.7	35.1	11.8	27.8	8.8	9.0	7.3	68.9	10.0	6.4	10.1	4.7	7.0
1-1/16 and 1-3/32	8.6	.4	.9	.3	1.1	.3	.1	.1	2.6	.4	.6	.8	.4	.6
1-1/8 and 1-5/32	1.1	.1	.1	.1	.3	.1	---	---	.1	.1	.1	.1	---	---
1-3/16 and 1-7/323	.1	---	---	.3	.1	---	---	---	---	---	---	---	---
1-1/4 and longer1	.1	---	---	.1	.1	---	---	---	---	---	---	---	---

1/ As reported by the Bureau of the Census.

2/ Underterrable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

3/ Less than 0.05 percent.




FIGURE 1

Table 17.- Staple length of American upland cotton ginned in designated districts of Arkansas, crop of 1937 (fig. 2)

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

Staple length (inches)	Total		District 1		District 2		District 3		District 4		District 5	
	1,000 bales	Per- cent	1,000 bales	Per- cent	1,000 bales	Per- cent	1,000 bales	Per- cent	1,000 bales	Per- cent	1,000 bales	Per- cent
All lengths	1/1,808.9	100.0	19.5	100.0	201.7	100.0	206.8	100.0	1,245.3	100.0	135.6	100.0
Shorter than 7/8 2/...	103.8	5.7	16.1	82.6	35.5	17.6	7.5	3.6	42.7	3.4	2.0	1.6
7/8 and 29/32	350.2	18.3	5.1	15.9	89.8	44.5	83.9	40.6	142.6	11.5	10.8	8.0
15/16 and 31/32	651.2	36.0	.3	1.5	55.9	32.7	101.7	49.2	415.7	33.4	67.6	49.8
1 and 1-1/32	499.6	27.6	---	---	10.2	5.1	12.9	6.2	427.2	34.3	48.3	36.3
1-1/16 and 1-3/32 ...	161.4	8.9	---	---	.3	.1	.8	.4	154.8	12.4	5.6	4.1
1-1/8 and 1-5/32	54.3	3.0	---	---	---	---	---	---	53.9	4.3	.4	.3
1-3/16 and 1-7/32 ...	7.1	.4	---	---	---	---	---	---	7.1	.6	---	---
1-1/4 and longer	1.3	.1	---	---	---	---	---	---	1.3	.1	---	---

1/ As reported by the Bureau of the Census.

2/ Untenderable in settlement of future contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.




FIGURE 2

Table 18.-- Staple length of American upland cotton ginned in designated districts of Georgia, crop of 1937 (fig. 3)

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)


Staple length (inches)	Total		District 1		District 2		District 3		District 4	
	1,000 bales	Per- cent	1,000 bales	Per- cent	1,000 bales	Per- cent	1,000 bales	Per- cent	1,000 bales	Per- cent
All lengths	1,473.1	100.0	122.6	100.0	594.4	100.0	125.9	100.0	630.2	100.0
Shorter than 7/8 2/...	68.8	4.7	.8	.6	7.8	1.3	11.0	8.7	43.2	7.8
7/8 and 29/32	539.1	36.6	17.3	14.1	107.0	18.0	73.1	58.0	341.7	54.2
15/16 and 31/32	498.9	33.9	55.8	45.5	252.5	42.5	28.1	22.3	162.5	25.8
1 and 1-1/32	351.1	23.8	46.9	38.3	220.9	37.2	12.7	10.1	70.6	11.2
1-1/16 and 1-5/32 ...	14.0	.9	1.8	1.5	6.0	1.0	.6	.5	5.6	.9
1-1/8 and 1-5/328	.1	---	---	.2	.2	.2	.2	.4	.1
1-3/16 and 1-7/324	.3	---	---	---	---	.2	.2	.2	.3
1-1/4 and longer	---	---	---	---	---	---	---	---	---	---

1/ As reported by the Bureau of the Census.

2/ Understandable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

3/ Less than 0.05 percent.

COTTON GRADE AND STAPLE DISTRICTS OF GEORGIA



U. S. DEPARTMENT OF AGRICULTURE

WES. 25620 BUREAU OF AGRICULTURAL ECONOMICS

FIGURE 3


Table 19.-- Staple length of American upland cotton ginned in designated districts of Louisiana, crop of 1937 (fig. 4)

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

Staple length (inches)	Total		District 1		District 2		District 3		District 4	
	1,000 bales	Per- cent	1,000 bales	Per- cent	1,000 bales	Per- cent	1,000 bales	Per- cent	1,000 bales	Per- cent
All lengths	1/ 1,050.6	100.0	202.2	100.0	100.9	100.0	696.0	100.0	51.5	100.0
Shorter than 7/8 2/...	81.7	7.8	59.6	29.5	.5	.5	17.5	2.5	4.1	7.9
7/8 and 29/32	123.4	11.7	64.8	32.1	5.7	5.7	42.5	6.1	10.3	20.0
15/16 and 31/32	317.2	30.2	49.8	24.6	62.6	62.0	177.3	25.5	27.5	53.4
1 and 1-1/32	389.8	37.1	25.5	12.6	30.5	30.2	324.7	46.7	9.1	17.7
1-1/16 and 1-3/32	117.4	11.2	2.5	1.2	1.6	1.6	112.8	16.2	.5	1.0
1-1/8 and 1-5/32	19.4	1.8	---	---	---	---	19.4	2.8	---	---
1-3/16 and 1-7/32	1.7	.2	---	---	---	---	1.7	.2	---	---
1-1/4 and longer	---	---	---	---	---	---	---	---	---	---

1/ As reported by the Bureau of the Census.

2/ Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.



U.S. DEPARTMENT OF AGRICULTURE

NEG. 85619 BUREAU OF AGRICULTURAL ECONOMICS

FIGURE 4

Table 20.- Staple length of American upland cotton ginned in designated districts of Mississippi, crop of 1937 (fig. 5)

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)


Staple length (inches)	Total		District 1		District 2		District 3	
	1,000 bales	Per- cent	1,000 bales	Per- cent	1,000 bales	Per- cent	1,000 bales	Per- cent
All lengths	1/2,561.8	100.0	1,364.3	100.0	435.5	100.0	761.9	100.0
Shorter than 7/8 2/.....	54.5	2.1	.3	3/	8.6	2.0	45.5	6.0
7/8 and 29/32	153.3	6.0	10.0	.7	29.6	6.8	113.7	14.9
15/16 and 31/32	579.0	22.6	139.4	10.2	144.4	33.1	296.2	38.7
1 and 1-1/32	841.9	32.9	372.4	27.3	202.4	46.5	267.1	35.1
1-1/16 and 1-3/32	521.0	20.3	438.3	32.1	43.8	10.1	38.9	5.1
1-1/8 and 1-5/32	324.6	12.7	317.0	23.2	6.3	1.4	1.3	.2
1-3/16 and 1-7/32	74.3	2.9	73.7	5.4	.5	.1	.1	3/
1-1/4 and longer	13.2	.5	13.2	1.0	---	---	---	---

1/ As reported by the Bureau of the Census.

2/ Underterrable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

3/ Less than 0.05 percent.

COTTON GRADE AND STAPLE DISTRICTS OF MISSISSIPPI



U. S. DEPARTMENT OF AGRICULTURE

NEG. 25625

BUREAU OF AGRICULTURAL ECONOMICS

FIGURE 5

Table 21.- Staple length of American upland cotton ginned in designated districts of North Carolina, crop of 1937 (fig. 6).

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

Staple length (inches)	Total	District 1		District 2		District 3		District 4	
		1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent
All lengths	1/ 780.6	100.0	291.3	100.0	60.5	100.0	368.3	100.0	60.5
Shorter than 7/8 2/...	10.1	1.3	6.6	2.3	.2	.3	3.1	.8	.2
7/8 and 29/32	125.9	16.1	69.6	23.9	6.2	10.2	42.8	11.6	7.3
15/16 and 31/32	306.2	39.2	116.3	39.9	13.7	22.6	147.2	40.0	29.0
1 and 1-1/32	302.5	38.8	87.8	30.1	32.4	53.6	160.3	43.5	22.0
1-1/16 and 1-3/32	29.0	3.7	7.7	2.6	5.3	8.8	14.1	3.8	1.9
1-1/8 and 1-5/32	4.4	.6	2.3	.8	1.3	2.2	.7	.2	.1
1-3/16 and 1-7/32	1.8	.2	.8	.3	.9	1.5	.1	3/	---
1-1/4 and longer7	.1	.2	.1	.5	.8	---	---	---

1/ As reported by the Bureau of the Census.

2/ Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

3/ Less than 0.05 percent.

COTTON GRADE AND STAPLE DISTRICTS OF NORTH CAROLINA




FIGURE 6


Table 22.- Staple length of American upland cotton ginned in designated districts of Oklahoma, crop of 1937 (fig. 7)

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

Staple length (inches)	Total		District 1		District 2		District 3		District 4		District 5	
	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent
All lengths	1/ 756.4	100.0	368.3	100.0	293.8	100.0	40.1	100.0	18.9	100.0	35.3	100.0
Shorter than 7/8 2/...	164.0	21.7	120.6	32.8	27.9	9.5	1.9	4.8	2.2	11.6	11.4	32.3
7/8 and 29/32	375.2	49.6	150.6	40.9	169.3	57.6	20.7	51.6	12.3	65.1	22.3	63.2
15/16 and 31/32	176.6	23.5	66.0	17.9	90.2	30.7	14.8	36.9	4.0	21.2	1.6	4.5
1 and 1-1/32	34.2	4.5	25.2	6.8	6.1	2.1	2.5	6.2	.4	2.1	---	---
1-1/16 and 1-3/32	6.0	.8	5.5	1.5	.3	.1	.2	.5	---	---	---	---
1-1/8 and 1-5/324	.1	.4	.1	---	---	---	---	---	---	---	---
1-3/16 and 1-7/32	---	---	---	---	---	---	---	---	---	---	---	---
1-1/4 and longer	---	---	---	---	---	---	---	---	---	---	---	---

1/ As reported by the Bureau of the Census.

2/ Underterrable in settlement of future contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.



U.S. DEPARTMENT OF AGRICULTURE

FIG. 2825 BUREAU OF AGRICULTURAL ECONOMICS

Table 23.- Staple length of American upland cotton ginned in designated districts of South Carolina, crop of 1937 (fig. 8)

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

Staple length (inches)	Total		District 1		District 2		District 3		District 4	
	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent
All lengths	1,996.2	100.0	473.2	100.0	89.0	100.0	379.3	100.0	54.7	100.0
Shorter than 7/8 2/...	2.9	.3	2.0	.4	.2	.2	.5	.1	.2	.4
7/8 and 29/32	123.0	12.4	66.2	14.0	5.4	6.1	42.5	11.2	8.8	16.1
15/16 and 31/32	455.7	45.7	216.9	45.8	43.9	49.3	167.7	44.2	27.2	49.7
1 and 1-1/32	372.0	37.3	171.3	36.2	34.4	38.7	148.5	39.2	17.8	32.5
1-1/16 and 1-3/32 ...	35.3	3.5	14.9	3.2	3.8	4.3	15.9	4.2	.7	1.3
1-1/8 and 1-5/32 ...	6.1	.6	1.6	.3	1.0	1.1	3.5	.9	---	---
1-3/16 and 1-7/32 ...	1.1	.1	.3	.1	.3	.3	.5	.1	---	---
1-1/4 and longer1	.1	---	---	---	---	.1	3/	---	---

1/ As reported by the Bureau of the Census.

2/ Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

3/ Less than 0.05 percent.





FIGURE 8

Table 24.- Staple length of American upland cotton ginned in designated districts of Tennessee, crop of 1937 (fig. 9)
(quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

Staple length (inches)	Total		District 1		District 2		District 3	
	1,000 bales	Per- cent	1,000 bales	Per- cent	1,000 bales	Per- cent	1,000 bales	Per- cent
All lengths	1/ 633.3	100.0	524.1	100.0	31.5	100.0	77.7	100.0
Shorter than 7/8 2/	97.6	15.4	49.3	9.4	26.6	84.4	21.7	27.9
7/8 and 29/32	116.2	18.3	89.4	17.1	2.9	9.2	23.9	30.8
15/16 and 31/32	249.5	39.4	226.3	43.2	1.5	4.8	21.7	27.9
1 and 1-1/32	157.0	24.8	146.9	28.0	.4	1.3	9.7	12.5
1-1/16 and 1-3/32	12.9	2.0	12.1	2.3	.1	.3	.7	.9
1-1/8 and 1-5/321	3/	.1	3/	---	---	---	---
1-3/16 and 1-7/32	---	---	---	---	---	---	---	---
1-1/4 and longer	---	---	---	---	---	---	---	---

1/ As reported by the Bureau of the Census.
2/ Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.
3/ Less than 0.05 percent.



U.S. DEPARTMENT OF AGRICULTURE
FIGURE 9
BUREAU OF AGRICULTURAL ECONOMICS
NEG. 25623

Table 25.- Staple length of American upland cotton grown in designated districts of Texas, crop of 1937 (fig. 10)

(Quantities are given in running bales, except that round bales are counted as half bales. Minors are not included)


Staple length (inches)	Total	District 1-4		District 5		District 6		District 7		District 8		District 9		District 10	
		1,000 Bales	Per Cent	1,000 Bales	Per Cent	1,000 Bales	Per Cent	1,000 Bales	Per Cent	1,000 Bales	Per Cent	1,000 Bales	Per Cent	1,000 Bales	Per Cent
All lengths	1,452,411	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Shorter than 7/16	2,697	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
7/16 and 1/2	1,216,941	83.8	83.8	83.8	83.8	83.8	83.8	83.8	83.8	83.8	83.8	83.8	83.8	83.8	83.8
1/2 and 3/4	203,941	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0
3/4 and 7/8	99,941	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9
7/8 and 1-1/8	15,941	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
1-1/8 and 1-1/2	1,941	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
1-1/2 and 1-3/4	1,941	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
1-3/4 and longer	1,941	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1

As reported by the Bureau of the Census.

1/ Undrinkable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

2/ Less than 0.05 percent.

TEXAS: CROP REPORTING DISTRICTS, 1937



U.S. DEPARTMENT OF AGRICULTURE

NEG. 32933

BUREAU OF AGRICULTURAL ECONOMICS

FIGURE 10

Table 26.- Tensiderability of American upland cotton ginned in the United States, by States, crops of 1928-37

(Quantities are given in running balcs, except that round balcs are counted as half balcs. Lists are not included)

[illegible]

See footnotes at end of table.

Table 26.--Tenderability of American upland cotton ginned in the United States, by State, crops of 1925-37 --Continued.

[illegible]

See footnotes at end of table

Table 26.—Tenderability of American upland cotton ginned in the United States, by State, crops of 1944-57—Continued.

State	Crop year	Total American upland cotton ginned ^{1/2}	Tenderable ^{2/}		Untenderable ^{3/}		Total		Untenderable ^{4/}		In grade only		Untenderable ^{5/}		In both grade and staple	
			100% bales	Per cent	100% bales	Per cent	100% bales	Per cent	100% bales	Per cent	100% bales	Per cent	100% bales	Per cent	100% bales	Per cent
Tennessee.....	1945	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1946	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1947	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1948	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1949	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1950	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1951	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1952	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1953	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1954	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
Texas.....	1945	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1946	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1947	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1948	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1949	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1950	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1951	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1952	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1953	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1954	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
Virginia.....	1945	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1946	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1947	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1948	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1949	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1950	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1951	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1952	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1953	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1954	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
All other ^{6/}	1945	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1946	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1947	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1948	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1949	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1950	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1951	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1952	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1953	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0
	1954	1,931.5	100.0	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0	1,931.5	100.0

^{1/} As reported by the Bureau of the Census.

^{2/} Tenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

^{3/} Less than 0.05 percent.

^{4/} Includes Illinois, Kansas, and Kentucky.

Table 27.—Grade and staple length of American upland cotton on hand in the United States, Aug. 1, 1937

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included.)

Grade	All staple lengths		Shorter than 7/8 inch 1/2		7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1-1/32 inches	1-1/16 and 1-5/32 inches	1-1/8 and 1-7/32 inches	1-3/16 and 1-1/4 inches and longer
	1,000 bales	Per-cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades ...	4,351.6	100.0	606.6	1,600.0	859.0	645.8	296.0	264.5	89.5	22.6
Extra White	46.6	1.1	6.9	16.0	8.4	5.2	4.6	3.7	1.7	.1
4-S.M.	4.5	.1	—	.2	.2	.9	1.3	1.5	.3	—
4-S.L.M.	7.6	.2	.1	.3	1.2	1.6	1.7	1.5	1.2	—
5-M.	5.9	.1	1.2	.7	1.5	1.1	.9	.4	.1	—
5-S.L.M.	8.9	.2	4.7	1.8	1.0	.7	.4	.2	.1	—
6-S.M.	18.5	.4	.8	12.8	4.0	.6	.2	.1	—	—
6-S.G.O. 1/2	1.2	3/	.1	.2	.5	.5	.1	—	—	—
7-S.G.O. 1/2	—	—	—	—	—	—	—	—	—	—
White	3,418.2	78.0	388.5	1,188.4	701.9	574.1	256.4	228.7	86.6	22.6
1-M.F.	—	—	—	—	—	—	—	.1	—	—
2-S.G.M.8	3/	—	.1	.1	.3	.2	—	—	—
2-S.M.	93.6	2.1	6.2	13.8	9.0	10.6	16.2	21.6	10.5	3.3
4-S.M.	687.2	15.2	59.1	128.4	111.6	109.9	77.3	79.4	37.5	10.4
5-M.	1,397.8	31.7	116.4	301.9	269.1	92.8	83.3	28.4	8.7	.6
6-S.L.M.	854.9	19.5	86.5	223.0	90.0	127.3	49.6	56.2	8.9	.6
7-S.M.	314.5	7.2	44.6	124.4	76.4	39.5	17.5	8.8	1.3	—
7-S.G.O. 1/2	78.5	1.7	15.7	31.2	16.2	8.8	4.7	.9	—	—
9-G.O. 1/2	23.9	.5	2.2	6.6	4.2	2.4	1.7	.2	—	—
Spotted	742.1	16.9	208.8	336.7	119.1	49.4	19.2	5.9	.9	.1
3-G.M.	32.4	.7	9.9	14.3	4.2	2.0	.7	.2	.5	.1
4-S.M.	234.5	5.4	63.7	112.4	32.4	15.2	7.2	3.3	.5	—
4-S.L.M.	274.9	6.3	71.9	129.5	48.4	17.6	6.1	1.0	.4	—
6-S.L.M. 1/2	137.7	3.1	46.2	57.8	22.3	4.4	2.3	.7	—	—
7-L.M. 1/2	62.6	1.4	17.1	24.7	11.8	6.2	2.7	.1	—	—
Tinged	108.8	2.5	30.7	45.9	21.8	10.2	2.0	.2	—	—
3-G.M.	1.8	3/	.2	.9	.5	1.1	.5	.1	—	—
4-S.M.	12.4	.3	1.5	5.7	1.5	2.9	.9	.1	—	—
5-M. 1/2	26.0	.6	3.4	13.0	4.4	2.9	.9	.1	—	—
6-S.L.M. 3/4	32.4	.7	10.2	14.4	5.1	2.3	.5	—	—	—
7-L.M. 1/2	36.2	.8	13.1	8.9	10.3	3.6	.1	—	—	—
Yellow Stained	23.3	.5	12.2	7.2	1.3	.2	—	1.3	—	—
3-G.M.8	3/	.2	.2	.2	—	—	—	—	—
4-S.M. 1/2	5.6	.1	2.0	.2	.2	—	—	1.2	—	—
5-M. 1/2	16.9	.4	11.0	4.2	.2	.1	—	.1	—	—
Gray	7.2	.2	.3	.2	1.8	2.1	2.2	.5	.1	—
3-G.M.2	3/	—	—	—	.1	.1	—	—	—
4-S.M.	4.0	.1	.2	.5	.9	1.2	1.0	—	—	—
5-M. 1/2	3.6	.1	.1	.3	.9	.2	1.1	.3	.1	—
No grade 1/4 4/	35.0	.8	12.2	8.0	4.7	2.5	1.2	—	—	—

Table 28.—Grade and staple length of American-Egyptian cotton on hand in the United States, Aug. 1, 1928-37

Year and grade	(Quantities are given in running bales)					
	All staple lengths		Shorter than 1-1/2 inches		1-1/2 to 1-5/8 inches and longer	
	1,000 bales	Percent	1,000 bales	1,000 bales	1,000 bales	1,000 bales
1928						
All grades...	1/ 5.5	100.0	0.1	1.5	2.4	1.7
1 and 1 1/2...	1.3	22.4	---	---	---	---
2 and 2 1/2...	1.1	19.0	---	---	---	---
3 and 3 1/2...	2.7	46.5	---	---	---	---
4 and 4 1/2...	.4	6.9	---	---	---	---
5 and 5 1/2...	.1	1.7	---	---	---	---
Below 5...	.2	3.4	---	---	---	---
1929						
All grades...	1/ 7.2	100.0	.3	.7	5.1	1.1
1 and 1 1/2...	1.7	23.3	---	---	---	---
2 and 2 1/2...	4.0	55.5	---	---	---	---
3 and 3 1/2...	1.2	16.7	---	---	---	---
4 and 4 1/2...	.2	2.8	---	---	---	---
5 and 5 1/2...	---	---	---	---	---	---
Below 5...	.1	1.4	---	---	---	---
1930						
All grades...	1/ 8.1	100.0	---	.2	7.1	.9
1 and 1 1/2...	2.4	29.7	---	---	---	---
2 and 2 1/2...	3.5	43.1	---	---	---	---
3 and 3 1/2...	2.1	25.9	---	---	---	---
4 and 4 1/2...	.1	1.2	---	---	---	---
5 and 5 1/2...	---	---	---	---	---	---
Below 5...	---	---	---	---	---	---
1931						
All grades...	1/ 16.7	100.0	---	2.0	13.5	1.1
1 and 1 1/2...	4.7	26.1	---	---	---	---
2 and 2 1/2...	9.1	54.5	---	---	---	---
3 and 3 1/2...	2.9	17.4	---	---	---	---
4 and 4 1/2...	.6	3.0	---	---	---	---
5 and 5 1/2...	---	---	---	---	---	---
Below 5...	---	---	---	---	---	---
1932						
All grades...	1/ 16.5	100.0	---	3.1	12.4	1.0
1 and 1 1/2...	2.9	17.5	---	---	---	---
2 and 2 1/2...	9.1	54.5	---	---	---	---
3 and 3 1/2...	3.5	21.2	---	---	---	---
4 and 4 1/2...	1.0	5.1	---	---	---	---
5 and 5 1/2...	---	---	---	---	---	---
Below 5...	---	---	---	---	---	---
1933						
All grades...	1/ 9.8	100.0	.7	2.9	5.1	1.1
1 and 1 1/2...	1.8	18.4	---	---	---	---
2 and 2 1/2...	5.8	56.1	---	---	---	---
3 and 3 1/2...	2.0	20.4	---	---	---	---
4 and 4 1/2...	.5	5.1	---	---	---	---
5 and 5 1/2...	---	---	---	---	---	---
Below 5...	---	---	---	---	---	---
1934						
All grades...	1/ 7.0	100.0	.3	1.9	3.8	1.0
1 and 1 1/2...	2.9	41.4	---	---	---	---
2 and 2 1/2...	3.1	44.3	---	---	---	---
3 and 3 1/2...	.6	8.5	---	---	---	---
4 and 4 1/2...	.1	1.4	---	---	---	---
5 and 5 1/2...	.1	1.4	---	---	---	---
Below 5...	.2	2.9	---	---	---	---
1935						
All grades...	1/ 6.6	100.0	.2	1.9	6.5	---
1 and 1 1/2...	1.6	20.9	---	---	---	---
2 and 2 1/2...	4.9	56.9	---	---	---	---
3 and 3 1/2...	1.4	18.3	---	---	---	---
4 and 4 1/2...	.3	3.5	---	---	---	---
5 and 5 1/2...	.1	1.2	---	---	---	---
Below 5...	.1	1.2	---	---	---	---
1936						
All grades...	1/ 7.0	100.0	.1	3.1	3.4	.4
1 and 1 1/2...	1.8	25.7	---	---	---	---
2 and 2 1/2...	3.7	52.9	---	---	---	---
3 and 3 1/2...	.9	12.9	---	---	---	---
4 and 4 1/2...	.4	5.7	---	---	---	---
5 and 5 1/2...	.1	1.4	---	---	---	---
Below 5...	---	---	---	---	---	---
1937						
All grades...	1/ 8.5	100.0	.1	2.3	2.2	.9
1 and 1 1/2...	1.7	20.0	---	---	---	---
2 and 2 1/2...	1.2	13.5	---	---	---	---
3 and 3 1/2...	.7	8.2	---	---	---	---
4 and 4 1/2...	.3	3.5	---	---	---	---
5 and 5 1/2...	.3	3.5	---	---	---	---
Below 5...	.8	9.5	---	---	---	---

1/ As reported by the Bureau of the Census.

Table 29.—Staple length of American upland cotton on hand in the United States, by places of storage, Aug. 1, 1928-37

Place of storage	Year	All staple lengths		Shorter than 1-1/2 inches		1-1/2 to 1-5/8 inches		1-5/8 to 1-3/4 inches and longer	
		1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent
		1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent
All places of storage...	1928	2,409.4	100.0	1.6	0.07	1.6	0.07	1.6	0.07
	1929	2,122.6	100.0	1.7	0.08	1.7	0.08	1.7	0.08
	1930	2,122.6	100.0	1.7	0.08	1.7	0.08	1.7	0.08
	1931	2,122.6	100.0	1.7	0.08	1.7	0.08	1.7	0.08
	1932	2,122.6	100.0	1.7	0.08	1.7	0.08	1.7	0.08
	1933	2,122.6	100.0	1.7	0.08	1.7	0.08	1.7	0.08
	1934	2,122.6	100.0	1.7	0.08	1.7	0.08	1.7	0.08
	1935	2,122.6	100.0	1.7	0.08	1.7	0.08	1.7	0.08
	1936	2,122.6	100.0	1.7	0.08	1.7	0.08	1.7	0.08
	1937	2,122.6	100.0	1.7	0.08	1.7	0.08	1.7	0.08
Public warehouses and com. houses 1/...	1928	1,468.7	100.0	1.6	0.11	1.6	0.11	1.6	0.11
	1929	1,468.7	100.0	1.6	0.11	1.6	0.11	1.6	0.11
	1930	1,468.7	100.0	1.6	0.11	1.6	0.11	1.6	0.11
	1931	1,468.7	100.0	1.6	0.11	1.6	0.11	1.6	0.11
	1932	1,468.7	100.0	1.6	0.11	1.6	0.11	1.6	0.11
	1933	1,468.7	100.0	1.6	0.11	1.6	0.11	1.6	0.11
	1934	1,468.7	100.0	1.6	0.11	1.6	0.11	1.6	0.11
	1935	1,468.7	100.0	1.6	0.11	1.6	0.11	1.6	0.11
	1936	1,468.7	100.0	1.6	0.11	1.6	0.11	1.6	0.11
	1937	1,468.7	100.0	1.6	0.11	1.6	0.11	1.6	0.11
Outstanding establishments...	1928	1,468.7	100.0	1.6	0.11	1.6	0.11	1.6	0.11
	1929	1,468.7	100.0	1.6	0.11	1.6	0.11	1.6	0.11
	1930	1,468.7	100.0	1.6	0.11	1.6	0.11	1.6	0.11
	1931	1,468.7	100.0	1.6	0.11	1.6	0.11	1.6	0.11
	1932	1,468.7	100.0	1.6	0.11	1.6	0.11	1.6	0.11
	1933	1,468.7	100.0	1.6	0.11	1.6	0.11	1.6	0.11
	1934	1,468.7	100.0	1.6	0.11	1.6	0.11	1.6	0.11
	1935	1,468.7	100.0	1.6	0.11	1.6	0.11	1.6	0.11
	1936	1,468.7	100.0	1.6	0.11	1.6	0.11	1.6	0.11
	1937	1,468.7	100.0	1.6	0.11	1.6	0.11	1.6	0.11

1/ As reported by the Bureau of the Census.

2/ Unavailable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

3/ Figures include cotton reported by the Bureau of the Census as "elsewhere," amounting to 335,000 bales for 1928; 275,000 for 1929; 470,000 for 1930; 590,000 for 1931; 1,160,000 for 1932; 1,465,000 for 1933; 950,000 for 1934; 640,000 for 1935; 375,000 for 1936; and 400,000 for 1937.

Table 30.- Tenderability of American upland cotton on hand in the United States, Aug. 1, 1928-37

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

Year	Total American upland cotton on hand Aug. 1			Tenderable 2/			Staple lengths 1-1/16 inches and longer			Total undeliverable in grade only			Undeliverable in staple only			Undeliverable in both grade and staple		
	All staple lengths			7/8 to 1-1/32 inches			1-1/16 inches and longer			1,000 Per- cent bales			1,000 Per- cent bales			1,000 Per- cent bales		
	1,000 bales	Per- cent	1,000 bales	1,000 bales	Per- cent	1,000 bales	1,000 bales	Per- cent	1,000 bales	1,000 Per- cent bales	Per- cent	1,000 Per- cent bales	1,000 Per- cent bales	Per- cent	1,000 Per- cent bales	1,000 Per- cent bales	Per- cent	1,000 Per- cent bales
1928 ..	2,419.8	100.0	2,198.0	90.8	1,459.5	60.3	795.5	30.5	221.8	9.2	154.0	5.6	51.7	2.1	36.1	1.5		
1929 ..	2,122.6	100.0	1,747.0	82.5	1,251.0	58.9	495.0	23.4	375.6	17.7	230.6	10.4	71.6	3.4	85.4	3.9		
1930 ..	4,513.6	100.0	3,416.3	79.2	2,666.6	61.8	749.7	17.4	897.3	20.8	450.5	10.5	268.4	6.2	178.4	4.1		
1931 ..	6,246.0	100.0	5,543.3	88.7	4,775.0	76.4	770.3	12.3	702.7	11.5	259.5	3.9	423.9	6.8	39.3	.6		
1932 ..	9,560.3	100.0	8,882.7	92.9	7,418.4	77.6	1,464.3	15.3	877.6	7.1	379.3	4.0	242.8	2.5	55.5	.6		
1933 ..	8,069.7	100.0	7,457.4	92.2	6,065.8	75.2	1,371.6	17.0	635.3	7.8	445.9	5.5	154.8	1.9	33.6	.4		
1934 ..	7,638.1	100.0	6,969.8	91.3	5,709.5	74.8	1,260.3	16.5	668.3	8.7	434.9	5.7	181.4	2.3	52.0	.7		
1935 ..	7,128.9	100.0	6,371.0	89.4	5,357.8	75.2	1,013.2	14.2	757.9	10.6	229.1	3.2	490.9	6.9	37.9	.5		
1936 ..	5,329.5	100.0	4,399.0	82.5	3,907.1	73.3	491.9	9.2	930.5	17.5	369.1	6.9	503.5	9.5	57.9	1.1		
1937 ..	4,381.8	100.0	3,458.2	78.9	2,805.2	64.0	653.0	14.9	925.6	21.1	317.0	7.2	487.0	10.7	139.6	3.2		

1/ As reported by the Bureau of the Census.

2/ Tenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

Table 31.- Average staple length 1/ of American upland cotton on hand in the United States, by places of storage, Aug. 1, 1928-37

Place of storage	1928	1929	1930	1931	1932	1933	1934	1935	1936	1937
	Six- teenth inches	Six- teenth inches	Six- teenth inches	Six- teenth inches	Six- teenth inches	Six- teenth inches	Six- teenth inches	Six- teenth inches	Six- teenth inches	Six- teenth inches
All places of storage ..	16.44	15.95	15.65	15.40	15.67	15.83	15.74	15.49	15.26	15.43
Public warehouses and compresses 2/	16.32	15.56	15.42	15.25	15.58	15.73	15.63	15.34	14.99	14.97
Consuming establishments.	16.62	16.45	16.38	16.28	16.36	16.35	16.38	16.74	16.65	16.62

1/ See footnote 1, table 8.

2/ Figures include cotton reported by the Bureau of the Census as "elsewhere."

Table 32.- Staple length of Egyptian cotton 1/ on hand in the United States, Aug. 1, 1928-37

(Quantities are given in equivalent 500-pound bales)

Year	All staple lengths 2/	Shorter than 1-1/8 inches	1-1/8 and 1-5/32 inches	1-3/16 and 1-7/32 inches	1-1/4 to 1-11/32 inches	1-3/8 to 1-15/32 inches	1-1/2 to 1-19/32 inches	1-5/8 to 1-23/32 inches	1-3/4 inches and longer
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
1928...	65.3	1.4	23.4	1.7	7.5	21.3	7.0	2.6	0.4
1929...	129.2	.3	70.8	6.6	2.7	34.1	12.9	1.8	---
1930...	145.4	.3	47.3	11.5	9.9	53.5	22.3	.6	---
1931...	63.9	1.1	21.5	.8	6.5	28.6	5.2	---	.2
1932...	68.1	8.0	13.0	.7	3.1	30.3	11.5	1.4	.1
1933...	54.8	7.9	12.5	2.0	2.4	22.7	6.6	.6	.1
1934...	61.8	1.9	16.4	.9	2.0	36.7	3.9	---	---
1935...	48.0	.1	14.2	.8	4.4	25.3	3.0	.2	---
1936...	41.8	.2	9.1	1.0	9.0	19.5	3.0	---	---
1937...	44.8	---	2.2	.5	9.5	31.0	1.5	.1	---

1/ Foreign cottons are not deliverable in settlement of futures contracts made subject to the United States Cotton Futures Act.

2/ As reported by the Bureau of the Census.

Table 34.—Staple length of cotton ginned in designated districts $\frac{1}{2}$ of Texas, crops of 1925-37

[illegible]

1/ Foreign cottons are not deliverable in settlement of futures contracts made subject to the United States Cotton Futures Act.

2/ As reported by the Bureau of the Census.

Table 24.—Staple length of cotton ginned in designated districts ^{1/} of Texas, crops of 1926-37 — Continued

[illegible]

Table 35.- Average staple length 1/ of American upland cotton ginned in designated districts 2/ of Texas, crops of 1928-37

District	1928	1929	1930	1931	1932	1933	1934	1935	1936	1937
	Six- teenth inches	Six- teenth inches	Six- teenth inches	Six- teenth inches	Six- teenth inches	Six- teenth inches	Six- teenth inches	Six- teenth inches	Six- teenth inches	Six- teenth inches
All districts	14.99	14.86	15.14	15.08	14.98	15.16	14.77	14.87	14.79	14.71
1-N	14.40	13.95	14.47	14.35	14.94	14.84	14.08	14.41	14.15	14.68
1-S	14.43	13.84	14.42	14.35	14.81	14.92	14.02	14.31	13.80	14.31
2	14.75	14.14	14.40	14.55	15.05	14.78	14.35	14.42	14.10	14.56
3	14.73	13.90	14.36	14.57	14.81	14.84	14.39	14.42	14.12	14.26
4	15.07	15.09	15.24	15.25	15.02	15.32	14.73	14.99	14.96	14.69
5	14.83	14.52	14.75	15.02	14.51	14.98	14.50	14.64	14.67	14.44
6	16.97	16.78	17.20	17.01	17.52	17.19	17.68	17.76	17.49	17.64
7	15.02	14.47	14.42	14.76	15.10	14.94	14.70	15.20	14.61	14.62
8	15.08	15.84	15.53	15.66	15.19	15.48	15.01	15.59	15.82	15.23
9	15.65	16.05	15.67	15.56	15.18	15.18	15.06	15.42	15.66	15.08
10	15.30	16.09	16.05	15.68	15.25	16.21	15.09	15.66	15.43	15.32

See footnote 1, table 8.
See footnote 1, table 34.

This book is due on the date indicated below, or at the expiration of a definite period after the date of borrowing, as provided by the library rules or by special arrangement with the Librarian in charge.

[illegible]

Manufactured by
GAYLORD BROS. Inc.
Syracuse, N. Y.
Stockton, Calif.



0041400801

Un3454


Un3454

U.S. Agri. eco. bureau
Grade, staple length, and tender-
ability of cotton in the U.S.,
1928-29 to 1937-38.

MSH 03099

NEH AUG 26 1994

OCT 21 1953



**END OF
TITLE**